



Government Gazette

OF THE STATE OF
NEW SOUTH WALES

Number 143
Friday, 9 October 2009

Published under authority by Government Advertising

LEGISLATION

Online notification of the making of statutory instruments

Week beginning 28 September 2009

THE following instruments were officially notified on the NSW legislation website (www.legislation.nsw.gov.au) on the dates indicated:

Proclamations commencing Acts

[NSW Lotteries \(Authorised Transaction\) Act 2009 No 60 \(2009-491\)](#) — published LW 2 October 2009

Regulations and other statutory instruments

[Electricity \(Consumer Safety\) Amendment \(Penalty Notice Offences\) Regulation 2009 \(2009-492\)](#) — published LW 2 October 2009

[Energy and Utilities Administration Further Amendment \(Minimum Energy Performance Standards\) Regulation 2009 \(2009-493\)](#) — published LW 2 October 2009

[Poisons and Therapeutic Goods Amendment \(Fees\) Regulation 2009 \(2009-490\)](#) — published LW 30 September 2009

Environmental Planning Instruments

[Hastings Local Environmental Plan 2001 \(Amendment No 54\) \(2009-496\)](#) — published LW 2 October 2009

[Lake Macquarie Local Environmental Plan 2004 \(Amendment No 36\) \(2009-497\)](#) — published LW 2 October 2009

[Lake Macquarie Local Environmental Plan 2004 \(Amendment No 39\) \(2009-498\)](#) — published LW 2 October 2009

[State Environmental Planning Policy \(Major Development\) Amendment \(Sydney Olympic Park\) 2009 \(2009-494\)](#) — published LW 2 October 2009

[State Environmental Planning Policy \(Western Sydney Employment Area\) Amendment \(Savings\) 2009 \(2009-495\)](#) — published LW 2 October 2009

Assents to Acts

ACTS OF PARLIAMENT ASSENTED TO

Legislative Assembly Office, Sydney 1 October 2009

IT is hereby notified, for general information, that Her Excellency the Governor has, in the name and on behalf of Her Majesty, this day assented to the undermentioned Acts passed by the Legislative Assembly and Legislative Council of New South Wales in Parliament assembled, viz.:

Act No. 66 2009 – An Act to amend the Liquor Act 2007 to restrict the granting of liquor licences and other liquor-related authorisations in certain precincts; and for other purposes. [Liquor Amendment (Temporary Licence Freeze) Bill].

Act No. 67 2009 – An Act to amend the Local Government Act 1993 to make further provision for strategic planning and reporting by councils; and for other purposes. [Local Government Amendment (Planning and Reporting) Bill].

Act No. 68 2009 – An Act to amend the Occupational Health and Safety Act 2000 in relation to authorised representatives of industrial organisations who may exercise investigation powers under that Act. [Occupational Health and Safety Amendment (Authorised Representatives) Bill].

Act No. 69 2009 – An Act to amend the Road Transport (General) Act 2005 to make further provision for the commencement of consecutive driver licence disqualifications and to make consequential amendments to certain other legislation. [Road Transport (General) Amendment (Consecutive Disqualification Periods) Bill].

Act No. 70 2009 – An Act to amend the Shop Trading Act 2008 and the Shop Trading Regulation 2009 with respect to exemptions from trading restrictions. [Shop Trading Amendment) Bill].

RUSSELL D. GROVE, PSM,
Clerk of the Legislative Assembly

OFFICIAL NOTICES

Department of Lands

GRAFTON OFFICE

76 Victoria Street (Locked Bag 10), Grafton NSW 2460

Phone: (02) 6640 3400 Fax: (02) 6642 8124

ROADS ACT 1993

ORDER

Transfer of a Crown Road to a Council

IN pursuance of the provisions of section 151, Roads Act 1993, the Crown roads specified in Schedule 1 is hereby transferred to the Roads Authority specified in Schedule 2 hereunder, as from the date of publication of this notice and as from the date, the road specified in Schedule 1, ceases to be Crown road.

TONY KELLY, M.L.C.,
Minister for Lands

SCHEDULE 1

*Parish – Coff; County – Fitzroy;
Land District – Bellingen;
Shire – Coffs Harbour City Council*

Crown public road northwest of Lot 15, DP 7956, being Bakers Close and Crown road southeast of Lot 2, DP 868654, Lot 61, DP 1122285 and Lot 541, DP 1106036, being William Sharp Drive.

Width to be Transferred: Whole width.

SCHEDULE 2

Roads Authority: Coffs Harbour City Council Council.

Department of Lands Reference: AAD: C.

GRIFFITH OFFICE
2nd Floor, Griffith City Plaza,
120–130 Banna Avenue (PO Box 1030), Griffith NSW 2680
Phone: (02) 6962 3600 Fax: (02) 6962 5670

NOTIFICATION OF CLOSING OF PUBLIC ROAD

IN pursuance of the provisions of the Roads Act 1993, the road hereunder described is closed and the land comprised therein ceases to be a public road and the rights of passage and access that previously existed in relation to the road are extinguished. Upon closing, title to the land, comprising the former public road, vests in the body specified in the Schedule hereunder.

TONY KELLY, M.L.C.,
 Minister for Lands

SCHEDULE

*Parish – Ulambong; County – Dowling;
 Land District – Lake Cargelligo; L.G.A. – Lachlan*

Road Closed: Lot 1, DP 1141576.

File No.: 08/10570 (MR).

Note: On closing, title to the land comprised in Lot 1 remains vested in the Crown as Crown Land.

APPOINTMENT OF CORPORATION TO MANAGE RESERVE TRUST

PURSUANT to section 95 of the Crown Lands Act 1989, the corporation specified in Column 1 of the Schedule hereunder, is appointed to manage the affairs of the reserve trust specified opposite thereto in Column 2, which is trustee of the reserve referred to in Column 3 of the Schedule.

TONY KELLY, M.L.C.,
 Minister for Lands

SCHEDULE

<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Lands Administration Ministerial Corporation.	Wamboyne Racecourse and Recreation Reserve Trust.	Reserve No.: 58097. Public Purpose: Public recreation and racecourse. Notified: 19 June 1925. File No.: GH93 R 3/3

For a term commencing the date of this notice.

ESTABLISHMENT OF RESERVE TRUST

PURSUANT to section 92(1) of the Crown Lands Act 1989, the reserve trust specified in Column 1 of the Schedule hereunder, is established under the name stated in that Column and is appointed as trustee of the reserve specified opposite thereto in Column 2 of the Schedule.

TONY KELLY, M.L.C.,
 Minister for Lands

SCHEDULE

<i>Column 1</i>	<i>Column 2</i>
Tharbogang Environmental Protection Reserve Trust.	Reserve No.: 1021008. Public Purpose: Environmental protection. Notified: 14 August 2009. File No.: 09/09646/1.

APPOINTMENT OF CORPORATION TO MANAGE RESERVE TRUST

PURSUANT to section 95 of the Crown Lands Act 1989, the corporation specified in Column 1 of the Schedule hereunder, is appointed to manage the affairs of the reserve trust specified opposite thereto in Column 2, which is trustee of the reserve referred to in Column 3 of the Schedule.

TONY KELLY, M.L.C.,
 Minister for Lands

SCHEDULE

<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Lands Administration Ministerial Corporation.	Tharbogang Environmental Protection Reserve Trust.	Reserve No.: 1021008. Public Purpose: Environmental protection. Notified: 14 August 2009. File No.: 09/09646/1.

For a term commencing the date of this notice.

MAITLAND OFFICE**Corner Newcastle Road and Banks Street (PO Box 6), East Maitland NSW 2323****Phone: (02) 4937 9306 Fax: (02) 4934 8417****NOTIFICATION OF CLOSING OF PUBLIC ROAD**

IN pursuance of the provisions of the Roads Act 1993, the road hereunder described is closed and the land comprised therein ceases to be a public road and the rights of passage and access that previously existed in relation to the road are extinguished. On road closing, title to the land comprising the former public road vests in the body specified in the Schedule hereunder.

TONY KELLY, M.L.C.,
Minister for Lands

Description

*Parish – Park; County – Brisbane;
Land District – Scone; L.G.A. – Upper Hunter*

Road Closed: Lots 1 and 2, DP 1141802 (not being land under the Real Property Act).

File No.: 07/1150.

Schedule

On closing, the land within Lots 1 and 2, DP 1141802 remains vested in the State of New South Wales as Crown Land.

NOWRA OFFICE**5 O’Keefe Avenue (PO Box 309), Nowra NSW 2541****Phone: (02) 4428 9100 Fax: (02) 4421 2172****NOTIFICATION OF CLOSING OF ROAD**

IN pursuance of the provisions of the Roads Act 1993, the road hereunder described is closed and the land comprised therein ceases to be public road and the rights of passage and access that previously existed in relation to the road are extinguished. On road closing, title to the land comprising the former public road vests in the body specified in the Schedule hereunder.

TONY KELLY, M.L.C.,
Minister for Lands

Description

*Parishes – Wandella and Murrabrine; County – Dampier;
Land District – Moruya;
Local Government Area – Bega Valley*

Road Closed: Lot 1, DP 1140875 at Yowrie.

File No.: NA05 H 91.

Schedule

On closing, the lands within Lot 1, DP 1140875 remain vested in State of New South Wales as Crown Land.

ORANGE OFFICE
92 Kite Street (PO Box 2146), Orange NSW 2800
Phone: (02) 6391 4300 Fax: (02) 6362 3896

NOTIFICATION OF CLOSING OF ROAD

IN pursuance of the provisions of the Roads Act 1993, the road hereunder described is closed and the land comprised therein ceases to be a public road and the rights of passage and access that previously existed in relation to the road are extinguished. On road closing, title to the land comprising the former public road vests in the body specified in the Schedule hereunder.

TONY KELLY, M.L.C.,
Minister for Lands

Description

Land District – Blayney; L.G.A. – Blayney

Road Closed: Lot 1, DP 1136275 at Tallwood, Parish Calvert, County Bathurst.

File No.: CL/00128.

Schedule

On closing, the land within Lot 1, DP 1136275 remains vested in the State of New South Wales as Crown Land.

Description

Land District – Cowra; L.G.A. – Cowra

Road Closed: Lot 2, DP 1138411 at Cowra, Parish Conimbla, County Forbes.

File No.: CL/00138.

Schedule

On closing, the land within Lot 2, DP 1138411 remains vested in the State of New South Wales as Crown Land.

Description

Land District – Grenfell; L.G.A. – Weddin

Road Closed: Lot 1, DP 1141853 at Quandialla, Parishes Barbingal and Berendebba, County Bland.

File No.: OE05 H 287.

Schedule

On closing, the land within Lot 1, DP 1141853 remains vested in the State of New South Wales as Crown Land.

SYDNEY METROPOLITAN OFFICE
Level 12, Macquarie Tower, 10 Valentine Avenue, Parramatta 2150
(PO Box 3935, Parramatta NSW 2124)
Phone: (02) 8836 5300 Fax: (02) 8836 5365

REMOVAL FROM OFFICE OF MEMBERS OF A TRUST BOARD

PURSUANT to Clause 6(4) of Schedule 3 to the Crown Lands Act 1989, the persons whose names are specified in Schedule 1 hereunder, are removed from the Office of member of the trust board managing the affairs of the reserve trust specified in Schedule 2, which reserve trust is trustee of the reserve referred to in Schedule 3.

TONY KELLY, M.L.C.,
Minister for Lands

SCHEDULE 1

The person for the time being holding the office of Trust Services Director, Gerald NORMAN (ex officio member).

- Ashok Kumar RUDHAR.
- Harold Frederick Gregory McKAY.
- Serge Auguste BECHARD.
- Kevin Barnett BUTLER.

SCHEDULE 2

Liverpool General Cemetery Seventh Day Adventist Portion Trust.

SCHEDULE 3

Dedication No.: 500703.
 Public Purpose: General Cemetery [Seventh Day Adventist Portion].
 Notified: 16 December 1892.
 File No.: MN84 R 115.

SCHEDULE 1

- Abdul GANI.
- Azmat ALI.
- Naiem ALI.
- Hamid ALI.
- Bahadur ALI.
- Mohammed Azaad KHAN.
- Azam ALI.

SCHEDULE 2

Liverpool General Cemetery Muslim Portion Trust.

SCHEDULE 3

Dedication No.: 500706.
 Public Purpose: General Cemetery [Muslim Portion].
 Notified: 16 December 1892.
 File No.: MN84 R 51.

APPOINTMENT OF ADMINISTRATOR

PURSUANT to section 117 of the Crown Lands Act 1989, the person named in Column 1 of the Schedule hereunder, is appointed to be the administrator of the reserve trusts named in Column 2, which are the trustees of the reserves referred to in Column 3 of the Schedule.

TONY KELLY, M.L.C.,
Minister for Lands

SCHEDULE

<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Graham WAKELING.	Liverpool General Cemetery Seventh Day Adventist Portion Trust.	Dedication No.: 500703. Public Purpose: General Cemetery. Notified: 16 December 1892. File No.: MN84 R 115.
Graham WAKELING.	Liverpool General Cemetery Muslim Portion Trust.	Dedication No.: 500706. Public Purpose: General Cemetery. Notified: 16 December 1892. File No.: MN84 R 51.
	Term of Office	
	For a term of six (6) months, commencing from the date of gazette.	


ADDITION TO RESERVED CROWN LAND

PURSUANT to section 88 of the Crown Lands Act 1989, the Crown Land specified in Column 1 of the Schedule hereunder, is added to the reserved land specified opposite thereto in Column 2 of the Schedule.

TONY KELLY, M.L.C.,
Minister for Lands

SCHEDULE

<i>Column 1</i>	<i>Column 2</i>
Land District: Metropolitan. L.G.A.: Pittwater. Parish: Narrabeen. County: Cumberland. Locality: Church Point. Area: About 192 square metres comprising part Lot 320, DP 824048, as shown by hatching on diagram. File No.: 08/9642.	Crown Land reserved for the public purpose of public recreation and access by notification in the <i>New South Wales Government Gazette</i> of 28 July 1995, as Reserve No. 100255.



TAMWORTH OFFICE**25-27 Fitzroy Street (PO Box 535), Tamworth NSW 2340****Phone: (02) 6764 5100 Fax: (02) 6766 3805****NOTIFICATION OF CLOSING OF A ROAD**

IN pursuance to the provisions of the Roads Act 1993, the road hereunder specified is closed and the land comprised therein ceases to be a public road and the rights of passage and access that previously existed in relation to the road are extinguished.

TONY KELLY, M.L.C.,
Minister for Lands

Description

*Locality – Quipolly; Land District – Tamworth;
L.G.A. – Liverpool Plains*

Road Closed: Lot 1 in DP 1130369, Parish Coeypolly,
County Buckland.

File No.: TH05 H 337.

Note: On closing, title to the land comprised in Lot 1 will remain vested in the State of New South Wales as Crown Land.

Description

*Locality – Emerald Hill; Land District – Gunnedah;
L.G.A. – Gunnedah*

Road Closed: Lot 1 in Deposited Plan 1142924, Parish
Gulligal, County Pottinger.

File No.: TH05 H 320.

Note: On closing, title to the land comprised in Lot 1 will remain vested in the State of New South Wales as Crown Land.

ROADS ACT 1993**ORDER**

Transfer of Crown Road to Council

IN pursuance of provisions of section 151, Roads Act 1993, the Crown public roads specified in Schedule 1 are transferred to the Roads Authority specified in Schedule 2 hereunder, as from the date of publication of this notice and as from that date, the roads specified in Schedule 1 cease to be Crown public road.

TONY KELLY, M.L.C.,
Minister for Lands

SCHEDULE 1

*Parish – Denison West; County – Pottinger;
Land District – Gunnedah; L.G.A. – Narrabri Shire*

Crown public roads separating Lots 16 and 20 from Lot 21 in Deposited Plan 7554920.

SCHEDULE 2

Roads Authority: Narrabri Shire Council.

File No.: TH05 H 281.

SCHEDULE 1

*Parishes – Perry and Moonbi; County – Parry;
Land District – Tamworth; L.G.A. – Tamworth Regional*

Crown public road described as within Lot 127, DP 753843 and road within and east of Lot 185, DP 753841.

SCHEDULE 2

Roads Authority: Tamworth Regional Council.

File No.: TH05 H 83.

TAREE OFFICE
98 Victoria Street (PO Box 440), Taree NSW 2430
Phone: (02) 6591 3500 Fax: (02) 6552 2816

NOTIFICATION OF CLOSING OF ROAD

IN pursuance of the provisions of the Roads Act 1993, the road hereunder described is closed and the land comprised therein ceases to be a public road and the rights of passage and access that previously existed in relation to the road are extinguished. On road closing, title to the land comprising the former public road vests in the body specified in the Schedule hereunder.

TONY KELLY, M.L.C.,
 Minister for Lands

Description

Land District – Taree; L.G.A. – Greater Taree

Road Closed: Lot 1, DP 1137875 at Wherrol Flat, Parish Lewis, County Macquarie.

File No.: TE05 H 136.

Schedule

On closing, the land within Lot 1, DP 1137875 remains vested in the State of New South Wales as Crown Land.

WAGGA WAGGA OFFICE
Corner Johnston and Tarcutta Streets (PO Box 60), Wagga Wagga NSW 2650
Phone: (02) 6937 2700 Fax: (02) 6921 1851

APPOINTMENT OF TRUST BOARD MEMBERS

PURSUANT to section 93 of the Crown Lands Act 1989, the persons whose names are specified in Column 1 of the Schedules hereunder are appointed for the terms of office specified, as members of the trust board for the reserve trust specified opposite thereto in Column 2, which has been established and appointed as trustee of the reserve referred to opposite thereto in Column 3 of the Schedules.

TONY KELLY, M.L.C.,
 Minister for Lands

SCHEDULE 1

<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
David Barry COX (new member).	Ganmain Showground Trust.	Reserve No.: 46488. Public Purpose: Showground. Notified: 12 April 1911. File No.: WA80 R 115/3.

Term of Office

For a term commencing the date of this notice and expiring 18 July 2014.

SCHEDULE 2

<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Ian HORSLEY (new member).	Gundagai Racecourse and Showground Trust.	Dedication No.: 620068. Public Purpose: Racecourse and showground. Notified: 11 September 1901. File No.: WA80 R 117/5.

Term of Office

For a term commencing the date of this notice and expiring 18 July 2014.

Department of Planning

HERITAGE ACT 1977

Direction pursuant to Section 34(1)(a) to Amend a State Heritage Register Listing Boundary

Pipehead, Water Supply Canal and Associated Works
SHR No. 01629

IN pursuance of section 38(1) of the Heritage Act 1977, I, the Minister for Planning, having considered a recommendation of the Heritage Council of New South Wales, direct the amendment of the State Heritage Register listing boundary of Pipehead, water supply canal and associated works, Frank Street, Guildford, by removing part of Lot 1, DP 865978. The Heritage Council Plan 2045 is hereby revoked.

The amended listing boundary of Pipehead, water supply canal and associated works shall apply to the curtilage or site of the item, being the land described in Schedule "A".

Dated: Sydney, 9th Day of September 2009.

The Hon. KRISTINA KENEALLY, M.P.,
Minister for Planning

SCHEDULE "A"

All those pieces or parcels of land situated at Frank Street, Guildford, Parish of St John, County of Cumberland, known as Part Lot 1, DP 865978 as shown by the hatched area on the plan catalogued HC 2299 in the office of the Heritage Council of New South Wales.

Heritage Council of New South Wales



State Heritage Register - Proposed Curtilage for Investigation



Scale: 1:3,000
Produced by: Naomi Nelson
Date: 3 August 2009

Legend	
	Proposed Curtilage
	SHR Curtilage
	LGAs
	Suburbs
	Land Parcels

ENVIRONMENTAL PLANNING AND ASSESSMENT ACT 1979

State Environmental Planning Policy (Major Development) 2005

Notice

I, the Minister for Planning, pursuant to clause 8(1A) of State Environmental Planning Policy (Major Development) 2005 (Major Development SEPP), hereby give notice that I have received a proposal that Schedule 3 of the Major Development SEPP be amended to add the site described in Schedule 1 of this Notice.

The Hon. KRISTINA KENEALLY, M.P.,
Minister for Planning

Sydney, 18th September 2009.

SCHEDULE 1

The site known as the West Byron Bay Urban Release Area as generally shown edged heavy black on the map marked West Byron Bay Urban Release Area – Cadastre, within the Byron Local Government Area.

West Byron Bay Urban Release Area – Cadastre



Department of Primary Industries

COAL MINE HEALTH AND SAFETY ACT 2002

Notice under clause 37(a)(ii) of Coal Mine Health and Safety Regulation 2006

Variation of permitted explosives – pre-sink of No 3 shaft at Ulan Coal Mine

I, ROBERT REGAN, Chief Inspector, hereby give notice pursuant to clause 37(a)(ii) of the Coal Mine Health and Safety Regulation 2006 (the Regulation) as follows:

1 Definitions

In this notice:

existing notice means the notice under clause 37(a)(ii) of the Regulation published in Government Gazette No 10 of 25 January 2008 at page 182.

further types of explosives mean the explosives described or known as “Senatel Magnum” packaged emulsion explosive, “Profiler” perimeter control explosive and “Cordtex 5P” detonating cord.

2 Specification of further types of explosives for certain work

Subject to clause 3 below, in addition to the types of explosives specified by the existing notice, the further types of explosives are specified under clause 37(a)(ii) of the Regulation for use in the pre-sink of No 3 shaft at Ulan Coal Mine.

Note. This enables use of the further types of explosives, but only in the case mentioned (and subject to clause 3), as an alternative to those specified under the existing notice.

3 Exception

Clause 2 does not apply where explosives are used within a distance of 20 metres from any coal seam.

4 Variation of existing notice

The existing notice is varied to the extent necessary to give effect to this notice.

5 Duration

This notice expires on completion of the pre-sink of No 3 shaft at Ulan Coal Mine.

Dated this 6th day of October 2009.

ROBERT REGAN,
Chief Inspector
Department of Industry & Investment

MINERAL RESOURCES

NOTICE is given that the following applications have been received:

EXPLORATION LICENCE APPLICATIONS

(09-5737)

No. 3787, SPUR HILL NO2 PTY LIMITED (ACN 139 147 667) and SPUR HILL U.T. PTY LTD (ACN 139 090 814), area of 3344 hectares, for Group 9, dated 25 September 2009. (Singleton Mining Division).

(T09-0173)

No. 3788, GRADIENT ENERGY LIMITED (ACN 128 437 507), area of 917 units, for Group 8, dated 28 September 2009. (Coffs Harbour Mining Division).

(T09-0175)

No. 3790, MMG AUSTRALIA LIMITED (ACN 004 074 962), area of 34 units, for Group 1, dated 1 October 2009. (Cobar Mining Division).

(T09-0176)

No. 3791, MMG AUSTRALIA LIMITED (ACN 004 074 962), area of 25 units, for Group 1, dated 1 October 2009. (Cobar Mining Division).

(T09-0177)

No. 3792, OZ EXPLORATION PTY LTD (ACN 137 626 914), area of 42 units, for Group 1, dated 2 October 2009. (Cobar Mining Division).

(T09-0178)

No. 3793, OZ EXPLORATION PTY LTD (ACN 137 626 914), area of 46 units, for Group 1, dated 2 October 2009. (Cobar Mining Division).

(T09-0179)

No. 3794, OZ EXPLORATION PTY LTD (ACN 137 626 914), area of 21 units, for Group 1, dated 2 October 2009. (Cobar Mining Division).

(T09-0180)

No. 3795, OZ EXPLORATION PTY LTD (ACN 137 626 914), area of 18 units, for Group 1, dated 2 October 2009. (Cobar Mining Division).

(T09-0181)

No. 3796, OZ EXPLORATION PTY LTD (ACN 137 626 914), area of 91 units, for Group 1, dated 2 October 2009. (Orange Mining Division).

IAN MACDONALD, M.L.C.,
Minister for Mineral Resources

NOTICE is given that the following application has been granted:

EXPLORATION LICENCE APPLICATION

(T09-0097)

No. 3706, now Exploration Licence No. 7398, ZEOLITE ENVIROMENTAL GLOBAL SOLUTIONS PTY LTD (ACN 127 127 815), Counties of Buckland and Parry, Map Sheet (9035), area of 9 units, for Group 2, dated 23 September 2009, for a term until 23 September 2011.

IAN MACDONALD, M.L.C.,
Minister for Mineral Resources

NOTICE is given that the following applications for renewal have been received:

(07-7705)

Exploration Licence No. 5793, GOLDEN REEF ENTERPRISES PTY LTD (ACN 008 138 136) and TRIAKO RESOURCES LIMITED (ACN 008 498 119), area of 8 units. Application for renewal received 2 October 2009.

(07-248)

Exploration Licence No. 6893, RIMFIRE PACIFIC MINING NL (ACN 006 911 744), area of 4 units. Application for renewal received 2 October 2009.

(07-248)

Exploration Licence No. 6894, RIMFIRE PACIFIC MINING NL (ACN 006 911 744), area of 18 units. Application for renewal received 2 October 2009.

(07-211)

Exploration Licence No. 6932, PLATSEARCH NL (ACN 003 254 395), area of 50 units. Application for renewal received 1 October 2009.

(07-119)

Exploration Licence No. 6937, CLANCY EXPLORATION LIMITED (ACN 105 578 756), area of 28 units. Application for renewal received 6 October 2009.

(07-126)

Exploration Licence No. 6938, CLANCY EXPLORATION LIMITED (ACN 105 578 756), area of 77 units. Application for renewal received 6 October 2009.

(07-311)

Exploration Licence No. 6939, CLANCY EXPLORATION LIMITED (ACN 105 578 756), area of 53 units. Application for renewal received 6 October 2009.

IAN MACDONALD, M.L.C.,
Minister for Mineral Resources

RENEWAL OF CERTAIN AUTHORITIES

NOTICE is given that the following authorities have been renewed:

(07-3124)

Exploration Licence No. 5574, ORD INVESTMENTS PTY LTD (ACN 107 735 071), Counties of Georgiana and Westmoreland, Map Sheet (8830), area of 46 units, for a further term until 3 June 2011. Renewal effective on and from 28 September 2009.

(04-518)

Exploration Licence No. 6414, ROBUST OPERATIONS PTY LIMITED (ACN 106 964 881), Counties of Bland and Harden, Map Sheet (8428), area of 9 units, for a further term until 16 May 2011. Renewal effective on and from 29 September 2009.

(06-4142)

Exploration Licence No. 6686, TRI ORIGIN MINING PTY LIMITED (ACN 115 529 112), County of Argyle, Map Sheet (8728), area of 18 units, for a further term until 21 December 2010. Renewal effective on and from 23 September 2009.

(07-163)

Exploration Licence No. 6811, GOLDEN CROSS OPERATIONS PTY LTD (ACN 050 212 827), County of Goulburn, Map Sheet (8326), area of 21 units, for a further term until 19 June 2011. Renewal effective on and from 29 September 2009.

(T97-0207)

Mining Lease No. 1189 (Act 1973), CLIMAX AUSTRALIA PTY LIMITED (ACN 002 164 598), Parish of Hampton, County of Bathurst and Parish of Lyndhurst, County of Bathurst, Map Sheets (8630-1-N, 8630-1-S, 8730-4-N, 8730-4-S), area of 252 hectares, for a further term until 13 May 2012. Renewal effective on and from 21 September 2009.

IAN MACDONALD, M.L.C.,
Minister for Mineral Resources

CANCELLATION OF AUTHORITY AT REQUEST OF HOLDER

NOTICE is given that the following authority has been cancelled:

(T08-0021)

Exploration Licence No. 7147, CAPITAL MINING LIMITED (ACN 104 551 171), County of Evelyn, County of Tongowoko and County of Yantara, Map Sheet (7338), area of 287 units. Cancellation took effect on 29 September 2009.

IAN MACDONALD, M.L.C.,
Minister for Mineral Resources

MEMBERSHIP OF THE NSW AGRICULTURE MINISTERIAL ADVISORY COUNCIL

Appointment of Members

I, IAN MACDONALD, MLC Minister for Primary Industries hereby appoint the following persons as members of the NSW Agricultural Ministerial Advisory Council for a term commencing from the date hereof for a period of three years.

Ms Kate James
Mr Charles Armstrong
Mr George Davey

Dated this 9th day of September 2009.

IAN MACDONALD, M.L.C.,
Minister for Primary Industries

MINE HEALTH AND SAFETY ACT 2004

Instrument of appointment

I, RICHARD SHELDRAKE, Director-General, Department of Industry and Investment, pursuant to section 127(1) of the Mine Health and Safety Act 2004 (the Act), hereby appoint Robert Alan Jay as an inspector under the Act from the date of this instrument.

Dated this 21st day of September 2009.

RICHARD SHELDRAKE,
Director-General
Department of Industry and Investment

MINING REGULATION 2003

Instrument of appointment of members of the Mine Safety Advisory Council

I, IAN MACDONALD MLC, Minister for Mineral Resources, pursuant to clause 47(1)(a) of the Mining Regulation 2003, appoint (or, in the second and third cases, re-appoint) the persons named in Column 1 of the Table below, who have been nominated by the bodies listed for them in Column 2, as members of the Mine Safety Advisory Council in the capacity and for the periods listed for them in Columns 3 and 4 respectively.

Table

Column 1 <i>Member</i>	Column 2 <i>Nominating body</i>	Column 3 <i>Capacity</i>	Column 4 <i>Period</i>
Mr Ian Cribb	NSW Minerals Council (representing the coal sector)	Employer representative	3 years commencing on the date of this instrument
Mr Anthony Raymond McPaul	NSW Minerals Council (representing the metalliferous sector)	Employer representative	3 years commencing on 7 September 2009
Mr Glenn William Seton	Australian Workers' Union, Greater NSW Branch	Employee representative	3 years commencing on 15 September 2009

Dated this 10th day of September 2009.

IAN MACDONALD, M.L.C.,
Minister for Mineral Resources

PLANT DISEASES ACT 1924

Appointment of Inspectors

I, ANDREW COLIN SANGER, Manager Agricultural Compliance of the Department of Industry and Investment, pursuant to section 11(1) of the Plant Diseases Act 1924 ("the Act") with powers delegated under section 28C by the Acting Director-General as published in the NSW Government Gazette No.134 dated 24 October 2008, hereby appoint the persons named in the Schedule below as inspectors for the purposes of the Act.

Schedule

Gillian Elizabeth ANDERSON
Sharon Lea BERRYMAN
David Andrew BENNETT
Russell Mark MIRIKLIS
Craig Anthony YORK

Dated this 1st day of October 2009.

A. C. SANGER,
Manager Agricultural Compliance
Department of Industry and Investment

PLANT DISEASES ACT 1924

Appointment of Inspectors

I, ANDREW COLIN SANGER, Manager Agricultural Compliance of the Department of Industry and Investment, pursuant to section 11(1) of the Plant Diseases Act 1924 ("the Act") with powers delegated under section 28C by the Acting Director-General as published in the NSW Government Gazette No.134 dated 24 October 2008, hereby appoint the persons named in the Schedule below as inspectors for the purposes of the Act.

Schedule

Raymond Michael CELATANO
John Connally MATTHEW
Terence Richard O'SULLIVAN
Adam Anthony PICHLER
Rocco POPPA
John Bernard CARROLL

Dated this 1st day of October 2009.

A. C. SANGER,
Manager Agricultural Compliance
Department of Industry and Investment

Roads and Traffic Authority

ROAD TRANSPORT (GENERAL) ACT 2005

Notice under Clause 20 of the Road Transport (Mass, Loading and Access) Regulation 2005

TAMWORTH REGIONAL COUNCIL, in pursuance of Division 4 of Part 2 of the Road Transport (Mass, Loading, Access) Regulation 2005, by this Notice, specify the routes and areas on or in which 25 metre B-Doubles may be used subject to any requirements or conditions set out in the Schedule.

Dated: 30 September 2009.

GLENN INGLIS,
General Manager,
Tamworth Regional Council
(by delegation from the Minister for Roads)

SCHEDULE

1. Citation

This Notice may be cited as Tamworth Regional Council 25 Metre B-Double route Notice No. 4/2009.

2. Commencement

This Notice takes effect on the date of gazettal.

3. Effect

This Notice remains in force until 30th September 2010 unless it is amended or repealed earlier.

4. Application

This Notice applies to those 25 metre B-Double vehicles which comply with Schedule 1 of the Road Transport (Mass, Loading and Access) Regulation 2005 and Schedule 2 of the Road Transport (Vehicle Registration) Regulation 2007.

5. Routes

<i>Type</i>	<i>Road Name</i>	<i>Starting Point</i>	<i>Finishing Point</i>
25.	Burgmanns Lane, Tamworth.	New England Highway (HW 9).	Werris Creek Road (MR 130).

ROAD TRANSPORT (GENERAL) ACT 2005

Notice under Clause 20 of the Road Transport (Mass, Loading and Access) Regulation 2005

TAMWORTH REGIONAL COUNCIL in pursuance of Division 4 of Part 2 of the Road Transport (Mass, Loading, Access) Regulation 2005, by this Notice, specify the routes and areas on or in which 4.6 metre High Vehicles may be used subject to any requirements or conditions set out in the Schedule.

Dated: 30 September 2009.

GLENN INGLIS,
General Manager,
Tamworth Regional Council
(by delegation from the Minister for Roads)

SCHEDULE

1. Citation

This Notice may be cited as Tamworth Regional Council 4.6 Metre High Vehicle Route Notice No. 2/2009.

2. Commencement

This Notice takes effect on the date of gazettal.

3. Effect

This Notice remains in force until 31st December 2012 unless it is amended or repealed earlier.

4. Application

This Notice applies to those 4.6 metre high vehicles which comply with Schedule 1 of the Road Transport (Mass, Loading and Access) Regulation 2005 and Schedule 2 of the Road Transport (Vehicle Registration) Regulation 2007.

5. Routes

<i>Type</i>	<i>Road Name</i>	<i>Starting Point</i>	<i>Finishing Point</i>
4.6.	Burgmanns Lane, Tamworth.	New England Highway (HW 9).	Werris Creek Road (MR 130).

ROAD TRANSPORT (GENERAL) ACT 2005

Notice under Clause 20 of the Road Transport (Mass, Loading and Access) Regulation 2005

BELLINGEN SHIRE COUNCIL, in pursuance of Division 4 of Part 2 of the Road Transport (Mass, Loading, Access) Regulation 2005, by this Notice, specify the routes and areas on or in which 25 metre B-Doubles may be used subject to any requirements or conditions set out in the Schedule.

Dated: 6th October 2009.

MIKE COLREAVY,
General Manager,
Bellingen Shire Council
(by delegation from the Minister for Roads)

SCHEDULE**1. Citation**

This Notice may be cited as Bellingen Shire Council 25 Metre B-Double Route Notice No. 02/2009.

2. Commencement

This Notice takes effect on the date of gazettal.

3. Effect

This Notice remains in force until 30th September 2010 unless it is amended or repealed earlier.

4. Application

This Notice applies to those 25 metre B-Double vehicles which comply with Schedule 1 of the Road Transport (Mass, Loading and Access) Regulation 2005 and Schedule 2 of the Road Transport (Vehicle Registration) Regulation 2007.

5. Routes

<i>Type</i>	<i>Road Name</i>	<i>Starting Point</i>	<i>Finishing Point</i>	<i>Conditions</i>
25.	Hydes Creek Road, Gleniffer.	Box Tree Road.	Little Hydes Creek Road.	Operation during daylight hours only. Speed limit restricted to 40km/hr. No operation during school bus times of 8.15 am to 8.25am and 3.35pm to 3.45pm.
25.	Little Hydes Creek Road, Gleniffer.	Hydes Creek Road, Gleniffer.	Ayres Rock Road.	Operation during daylight hours only. Speed limit restricted to 40km/hr. No operation during school bus times of 8.15 am to 8.25am and 3.35pm to 3.45pm.

ROAD TRANSPORT (GENERAL) ACT 2005

Notice under Clause 20 of the Road Transport (Mass, Loading and Access) Regulation 2005

INVERELL SHIRE COUNCIL, in pursuance of Division 4 of Part 2 of the Road Transport (Mass, Loading, Access) Regulation 2005, by this Notice, specify the routes and areas on or in which 25 metre B-Doubles may be used subject to any requirements or conditions set out in the Schedule.

Dated: 2 October 2009.

PAUL HENRY,
General Manager,
Inverell Shire Council
(by delegation from the Minister for Roads)

SCHEDULE
1. Citation

This Notice may be cited as Inverell Shire Council 25 Metre B-Double Route Notice No. 02/2009.

2. Commencement

This Notice takes effect on the date of the gazettal.

3. Effect

This Notice remains in force until 30th September 2010 unless it is amended or repealed earlier.

4. Application

This Notice applies to those 25 metre B-Double vehicles which comply with Schedule 1 of the Road Transport (Mass, Loading and Access) Regulation 2005 and Schedule 2 of the Road Transport (Vehicle Registration) Regulation 2007.

5. Routes

<i>Type</i>	<i>Road Name</i>	<i>Starting Point</i>	<i>Finishing Point</i>
25.	Captain Cook Drive, Inverell.	Vivian Street.	Lawrence Street.
25.	Lawrence Street, Inverell.	Captain Cook Drive.	Sweaney Street.

ROADS ACT 1993

Notice of Dedication of Land as Public Road at Old Toongabbie and Toongabbie
in the Parramatta City Council area

THE Roads and Traffic Authority of New South Wales, by its delegate, dedicates the land described in the schedule below as public road under section 10 of the Roads Act 1993.

T D Craig
Manager, Compulsory Acquisition & Road Dedication
Roads and Traffic Authority of New South Wales

SCHEDULE

ALL those pieces or parcels of land situated in the Parramatta City Council area, Parish of St John and County of Cumberland, shown as:

<u>Description</u>	<u>Title Particulars</u>
Lot 5 Deposited Plan 261576	Folio Identifier 5 / 261576
Lot 3 Deposited Plan 620256	Certificate of Title Volume 6083 Folio 108
Lot 4 Deposited Plan 620256	Certificate of Title Volume 5531 Folio 73
The area of 2 roods 9 ¾ perches shown on Plan marked "A" annexed to Transfer dealing K228455 registered at Land and Property Information, being part of Lot 2 Deposited Plan 214915	Certificate of Title Volume 9325 Folio 225
Lot 14 Deposited Plan 264580	Folio Identifier 14 / 264580
Lot 12 Deposited Plan 264580	Certificate of Title Volume 9264 Folio 247
Lot 11 Deposited Plan 264580	Folio Identifier 11 / 264580
Lot 16 Deposited Plan 264580	Certificate of Title Volume 7865 Folio 206
Lot 10 Deposited Plan 264580	Folio Identifier 10 / 264580
Lot 22 Deposited Plan 1071654	Folio Identifier 22 / 1071654
Lot 4 Deposited Plan 1063368	Folio Identifier 4 / 1063368
Lot 3 Deposited Plan 1063368	Folio Identifier 3 / 1063368
Lot 15 Deposited Plan 264580	Folio Identifier 15 / 264580
Lot 6 Deposited Plan 261576	Certificate of Title Volume 7444 Folio 233

(RTA Papers: FPP 40.1206; RO 354.12247)

Other Notices

APPRENTICESHIP AND TRAINEESHIP ACT 2001

NOTICE is given of establishing a new Vocational Training Order for the recognised traineeship vocation of Community Services - Community Services Work under Section 6 of the Apprenticeship and Traineeship Act 2001.

The Order specifies a number of matters relating to the required training for this vocation, including the term/s of training, probationary period/s, competency outcome/s and course/s of study to be undertaken.

The Order will take effect from the date of publication in the NSW Government Gazette.

A copy of the Order may be inspected at any State Training Services Regional Office of the Department of Education and Training or on the Internet at

<http://apprenticeship.det.nsw.edu.au/html/cibs/424.htm>

APPRENTICESHIP AND TRAINEESHIP ACT 2001

NOTICE is given of establishing a new Vocational Training Order for the recognised traineeship vocation of Community Services - Disability under Section 6 of the Apprenticeship and Traineeship Act 2001.

The Order specifies a number of matters relating to the required training for this vocation, including the term/s of training, probationary period/s, competency outcome/s and course/s of study to be undertaken.

The Order will take effect from the date of publication in the NSW Government Gazette.

A copy of the Order may be inspected at any State Training Services Regional Office of the Department of Education and Training or on the Internet at

<http://apprenticeship.det.nsw.edu.au/html/cibs/428.htm>

APPRENTICESHIP AND TRAINEESHIP ACT 2001

NOTICE is given of establishing a new Vocational Training Order for the recognised traineeship vocation of Community Services - Home and Community Care under Section 6 of the Apprenticeship and Traineeship Act 2001.

The Order specifies a number of matters relating to the required training for this vocation, including the term/s of training, probationary period/s, competency outcome/s and course/s of study to be undertaken.

The Order will take effect from the date of publication in the NSW Government Gazette.

A copy of the Order may be inspected at any State Training Services Regional Office of the Department of Education and Training or on the Internet at

<http://apprenticeship.det.nsw.edu.au/html/cibs/425.htm>

APPRENTICESHIP AND TRAINEESHIP ACT 2001

NOTICE is given of establishing a new Vocational Training Order for the recognised traineeship vocation of Community Services - Leisure and Health under Section 6 of the Apprenticeship and Traineeship Act 2001.

The Order specifies a number of matters relating to the required training for this vocation, including the term/s of training, probationary period/s, competency outcome/s and course/s of study to be undertaken.

The Order will take effect from the date of publication in the NSW Government Gazette.

A copy of the Order may be inspected at any State Training Services Regional Office of the Department of Education and Training or on the Internet at

<http://apprenticeship.det.nsw.edu.au/html/cibs/430.htm>

APPRENTICESHIP AND TRAINEESHIP ACT 2001

NOTICE is given of establishing a new Vocational Training Order for the recognised traineeship vocation of Community Services - Mental Health under Section 6 of the Apprenticeship and Traineeship Act 2001.

The Order specifies a number of matters relating to the required training for this vocation, including the term/s of training, probationary period/s, competency outcome/s and course/s of study to be undertaken.

The Order will take effect from the date of publication in the NSW Government Gazette.

A copy of the Order may be inspected at any State Training Services Regional Office of the Department of Education and Training or on the Internet at

<http://apprenticeship.det.nsw.edu.au/html/cibs/426.htm>

APPRENTICESHIP AND TRAINEESHIP ACT 2001

NOTICE is given of establishing a new Vocational Training Order for the recognised traineeship vocation of Community Services - Outside School Hours Care under Section 6 of the Apprenticeship and Traineeship Act 2001.

The Order specifies a number of matters relating to the required training for this vocation, including the term/s of training, probationary period/s, competency outcome/s and course/s of study to be undertaken.

The Order will take effect from the date of publication in the NSW Government Gazette.

A copy of the Order may be inspected at any State Training Services Regional Office of the Department of Education and Training or on the Internet at

<http://apprenticeship.det.nsw.edu.au/html/cibs/429.htm>

APPRENTICESHIP AND TRAINEESHIP ACT 2001

NOTICE is given of establishing a new Vocational Training Order for the recognised traineeship vocation of Community Services - Social Housing under Section 6 of the Apprenticeship and Traineeship Act 2001.

The Order specifies a number of matters relating to the required training for this vocation, including the term/s of training, probationary period/s, competency outcome/s and course/s of study to be undertaken.

The Order will take effect from the date of publication in the NSW Government Gazette.

A copy of the Order may be inspected at any State Training Services Regional Office of the Department of Education and Training or on the Internet at

<http://apprenticeship.det.nsw.edu.au/html/cibs/427.htm>

CO-OPERATIVES ACT 1992

Notice under Section 601AA of the Corporations Act 2001 as Applied by Section 325 of the Co-Operatives Act 1992

NOTICE is hereby given that the Co-operative mentioned below will be deregistered when two months have passed since the publication of this notice:

Tamworth Produce Marketing Co-operative Limited.

Dated this 1st day of October 2009.

R. HAYES,
Delegate of the Registrar of Co-operatives

DRAFT RETIREMENT VILLAGES REGULATION 2009

Invitation to comment

THE current Retirement Villages Regulation 2000 is due to be automatically repealed on 1 September 2010 under the automatic repeal provisions of the Subordinate Legislation Act 1989. A proposed replacement regulation, the draft Retirement Villages Regulation 2009, is being released for public comment along with a regulatory impact statement which discusses the costs and benefits of the proposals.

The purpose of the proposed Regulation is to provide the necessary administrative support to the operation of the Retirement Villages Act 1999, which sets out the rights and obligations of retirement village operators and residents.

Copies of the regulatory impact statement and draft Regulation can be obtained from NSW Fair Trading by telephoning (02) 9338 8925 or by downloading from the Fair Trading website on www.fairtrading.nsw.gov.au

Comments and submissions can be e-mailed (preferred), mailed or faxed by Wednesday 4 November 2009 to:

Email: policy@services.nsw.gov.au
Retirement Villages Regulation 2009
Policy & Strategy Division
NSW Fair Trading
PO Box 972
PARRAMATTA NSW 2124
Fax: (02) 9338 8990

ELECTRICITY SUPPLY ACT 1995

Independent Pricing and Regulatory Tribunal

Invitation to Comment

Application for Electricity Retail Supplier Licence

THE Tribunal has received an application for an electricity retail supplier's licence under the Electricity Supply Act 1995, from Diamond Energy Pty Ltd (ABN 97 107 516 334) to operate in New South Wales.

The Tribunal seeks public submissions on this application. Submissions should address the assessment criteria contained in the Electricity Supply Act 1995.

A copy of this application can be viewed and downloaded from the Tribunal's website at www.ipart.nsw.gov.au.

All submissions should reach the Tribunal by COB 24 November 2009. Please direct all enquiries to Mr Gary Drysdale on (02) 9290 8477.

JAMES P. COX,
Chief Executive Officer and Acting Chairman

Independent Pricing and Regulatory Tribunal,
PO Box Q290, QVB Post Office NSW 1230.

GEOGRAPHICAL NAMES ACT 1966

Proposal to name a creek "Francis Greenway Creek"

PURSUANT to the provisions of section 8 of the Geographical Names Act 1966, the Geographical Names Board hereby notifies that it proposes to assign the name listed hereunder as a geographical name.

Proposed Name:	Francis Greenway Creek.
Designation:	Creek.
L.G.A.:	City of Maitland.
Parish:	Alnwick.
County:	Northumberland.
L.P.I. Map:	Beresfield.
1:100,000 Map:	Newcastle 9232.
Reference:	GNB 5402.

Any person wishing to make comment upon this proposal may, prior to 9 November 2009, write to the Secretary of the Board with that comment.

The position and the extent for this feature is recorded and shown within the Geographical Names Register of New South Wales. This information can be accessed through the Board's Web Site at www.gnb.nsw.gov.au. Submissions made in accordance with section 9 of the Geographical Names Act 1966, may be subject to a Freedom of Information application. GNB5402.

WARWICK WATKINS,
Chairperson

Geographical Names Board,
PO Box 143, Bathurst NSW 2795.

GEOGRAPHICAL NAMES ACT 1966

Proposal to name a reserve 'Ballast Point Park'

PURSUANT to the provisions of section 8 of the Geographical Names Act 1966, the Geographical Names Board hereby notifies that it proposes to assign the name listed hereunder as a geographical name.

Proposed Name: Ballast Point Park.
 Designation: Reserve.
 L.G.A.: Leichhardt.
 Parish: Petersham.
 County: Cumberland.
 L.P.I. Map: Parramatta River.
 1:100,000 Map: Sydney 9130.
 Reference: GNB5392.

Any person wishing to make comment upon this proposal may, prior to 9 November 2009, write to the Secretary of the Board with that comment.

The position and the extent for this feature are recorded and shown within the Geographical Names Register of New South Wales. This information can be accessed through the Board's Web Site at www.gnb.nsw.gov.au. Submissions made in accordance with section 9 of the Geographical Names Act 1966, may be subject to a Freedom of Information application. GNB5392.

WARWICK WATKINS,
 Chairperson

Geographical Names Board,
 PO Box 143, Bathurst NSW 2795.

GEOGRAPHICAL NAMES ACT 1966

Proposal to name a Reserve Condons Park

PURSUANT to the provisions of section 8 of the Geographical Names Act 1966, the Geographical Names Board hereby notifies that it proposes to assign the name listed hereunder as a geographical name.

Proposed Name: Condons Park.
 Designation: Reserve.
 L.G.A.: Shellharbour.
 Parish: Terragong.
 County: Camden.
 L.P.I. Map: Albion Park.
 1:100,000 Map: Kiama 9028.
 Reference: GNB 5393.

Any person wishing to make comment upon this proposal may, prior to 12 November 2009, write to the Secretary of the Board with that comment.

The position and the extent for this feature is recorded and shown within the Geographical Names Register of New South Wales. This information can be accessed through the Board's Web Site at www.gnb.nsw.gov.au. Submissions made in accordance with section 9 of the Geographical Names Act 1966, may be subject to a Freedom of Information application. GNB5397.

WARWICK WATKINS,
 Chairperson

Geographical Names Board,
 PO Box 143, Bathurst NSW 2795.

HOME BUILDING REGULATION 2004

Clause 28

Qualification requirements for an endorsed contractor licence or supervisor certificate for residential building work - excavating

I, Brian Baker, Acting Director-General, Department of Services, Technology and Administration, pursuant to clause 28(1) of the Home Building Regulation 2004 determine

the possession of qualifications or passing of examinations specified in Table 1 to be necessary for an applicant for the issue of a Certificate.

This Instrument commences on the Commencement Date.

Dated this 29th day of September 2009.

BRIAN BAKER,
 Acting Director General,
 Department of Services,
 Technology and Administration

Definitions

In this Instrument:

References to *Certificate* and *Licence* are respectively to a supervisor certificate, or endorsed contractor licence, to do or supervise work;

Commencement Date means *date of signature*

Table 1

Category of residential building work	Qualification requirement
Underpinning or piling as identified in clause 46(1)(r) of the <i>Home Building Regulation 2004</i>	Completion of BCC30407 Certificate III in Civil Construction (Foundation Work)
	Previously held NSW Licence or Certificate If an equivalent New South Wales endorsed contractor licence or qualified supervisor certificate has previously been held, the qualification requirement is satisfied by the applicant.
	Qualifications before the Commencement Date Any qualification attained before the Commencement Date that was necessary immediately before the Commencement Date pursuant to clause 28(1) of the Regulation for the issue of a Certificate.

HOUSING ACT 2001

Notification of Compulsory Acquisition of Land

NEW SOUTH WALES Land and Housing Corporation declares, with the approval of Her Excellency the Governor, that the land described in the Schedule below is acquired by compulsory process under the provisions of the Land Acquisition (Just Terms Compensation) Act 1991 for the purposes of the Housing Act 2001.

Dated this Twenty Fourth day of September 2009.

MIKE ALLEN,
 Chief Executive

SCHEDULE

The land shown as Lots 1 and 3 on the plan of land at Macquarie Fields, in the Local Government Area of Campbelltown, Parish of Minto, County of Cumberland, registered at Land and Property Information NSW as Deposited Plan No. 1137600.

LAND TAX MANAGEMENT ACT 1956

Land Tax Threshold

THIS Determination of the Land Tax threshold is made under section 62TBA of the Land Tax Management Act 1956, as amended by the State Revenue and Other Legislation Amendment (Budget Measures) Act 2006.

Indexation Factor

It is hereby notified that pursuant to section 62TBB(3) of the Land Tax Management Act 1956, -0.003% has been determined as the percentage by which average land values of land within residential, commercial and industrial zones have changed between 1 July 2008 and 1 July 2009. The indexation factor is determined at 0% for the 2010 land tax year.

Indexed Amount

It is hereby notified that pursuant to section 62TBA (7) (a) of the Land Tax Management Act 1956 that \$380,000 is the determined indexed amount for the 2010 land tax year.

Average of Indexed Amounts

It is hereby notified that pursuant to section 62TBA (7) (b) of the Land Tax Management Act 1956 that the average of the indexed amounts pursuant to section 62TBA (7) (b) is \$376,000; and the indexed amounts used to calculate that average amount are:

For the 2008 land tax year \$369,000
For the 2009 land tax year \$380,000
For the 2010 land tax year \$380,000

Determination of the Tax Threshold

Under section 62TBA (2) of the Land Tax Management Act 1956, the tax threshold for the 2010 land tax year is the average of the indexed amounts \$376,000 or the \$368,000 tax threshold for the 2009 land tax year, whichever is the greater.

It is hereby notified that pursuant to section 62TBA (7) (c) of the Land Tax Management Act 1956, that the amount of \$376,000 has been determined as the tax threshold for the 2010 land tax year.

PHILIP WESTERN,
Valuer General

NATIONAL PARKS AND WILDLIFE ACT 1974**LAND ACQUISITION (JUST TERMS
COMPENSATION) ACT 1991**

Notice of Compulsory Acquisition

THE Minister for Climate Change and the Environment, with the approval of Her Excellency the Governor, declares that the land described in the Schedule below is acquired by compulsory process under the provisions of the Land Acquisition (Just Terms Compensation) Act 1991, for the purposes of the National Parks and Wildlife Act 1974.

The land is, on publication of this notice, vested in the Minister administering the National Parks and Wildlife Act 1974.

CARMEL TEBBUTT, M.P.,
Minister for Climate Change and the Environment

SCHEDULE

All those pieces or parcels of land situated in the Local Government Area of the City of Shoalhaven, Parish of Bherwerre, County of St Vincent, containing an area of 0.3718 hectares and being Lot 1520 in Deposited Plan 8515, Lot 1805 in Deposited Plan 8516 and Lot 347 in Deposited Plan 8517. DECC: 09/2112.

NATIONAL PARKS AND WILDLIFE ACT 1974

Belford Nature Reserve

Plan of Management

A draft plan of management for Belford Nature Reserve has been prepared and is available free of charge from the NPWS Central Coast Hunter Range Regional Office at 207 Albany Street North, Gosford (ph 4320 4200).

The plan may also be obtained from the NPWS Hunter Range Area Office, 2156 Putty Rd, Bulga (Ph 6574 5555), and may be viewed at Cessnock Library, 65 Vincent St, Cessnock; Singleton Library, 8 Queen St, Singleton; and Maitland Library, 480 High St, Maitland. The plan is also on the NPWS website: www.environment.nsw.gov.au/parkmanagement/ParkManagementPlans.htm.

Written submissions on the plan must be received by The Planning Officer, NPWS, PO Box 1477, GOSFORD NSW 2250 or CCHR.Plans@environment.nsw.gov.au by Monday 18 January 2010.

All submissions received by NPWS are a matter of public record and are available for public inspection upon request. Your comments may contain information that is defined as "personal information" under the NSW Privacy and Personal Information Protection Act 1998. The submission of personal information with your comments is voluntary.

TRANSPORT ADMINISTRATION ACT 1988

Land Acquisition (Just Terms Compensation) Act 1991
Notice of Compulsory Acquisition of land for the purposes of the Transport Infrastructure Development Corporation

THE Transport Infrastructure Development Corporation, with the approval of Her Excellency the Governor with the advice of the Executive Council, declares that the land described in the Schedule hereto is acquired by compulsory process under the provisions of the Land Acquisition (Just Terms Compensation) Act 1991 for the purposes of the Transport Infrastructure Development Corporation, as authorised by the Transport Administration Act, 1988.

Dated this 7th day of October 2009

CHRIS LOCK,
Chief Executive Officer

SCHEDULE

All that piece or parcel of land situated at Revesby, in the Local Government Area of Bankstown, Parish of Bankstown, County of Cumberland, being the land described as Lot 1 in Deposited Plan 603762 said to be in the possession of Azar Building & Construction Services Pty Ltd and Key Sites Pty Ltd but excluding:

1. Registered Lease AE94769 to Typhoon Investments Pty Ltd, and
2. Registered Easement to drain water affecting the part(s) shown so burdened in the title diagram.

**SURVEY AND DRAFTING
DIRECTIONS FOR MINING
SURVEYORS**

**NSW
Metalliferous and Extractive Industries
2008**

Issued by the Surveyor-General on the advice of the Board of Surveying and Spatial Information pursuant to clause 4 of the Surveying Regulation 2006

Note: These directions are for the Metalliferous and Extractive Industries in New South Wales. Refer to the document entitled *Survey and Drafting Directions for Mine Surveyors (NSW-Coal) 2007* in respect to mining surveys carried out for the purposes of the [Coal Mines Health and Safety Act 2002](#) and the [Coal Mines Health and Safety Regulations 2006](#).

CONTENTS

1	GENERAL	4
1.1	AUTHORISATION	4
1.2	PREPARATION	4
1.3	COMPILATION	4
1.4	GENERAL	4
1.5	SYMBOLS	5
1.6	DUTIES OF A REGISTERED MINING SURVEYOR	5
1.7	LIABILITY OF A REGISTERED MINING SURVEYOR	5
1.8	CONVERSION TO MGA94	6
2	DEFINITIONS	7
3	SURVEY STANDARDS AND PROCEDURES	13
3.1	ORIGIN OF CO-ORDINATES	13
3.2	UNDERGROUND BASELINE	14
3.3	CONTROL SURVEYS AND SUBSIDIARY SURVEYS	14
3.4	CORRELATION OF SURFACE AND UNDERGROUND SURVEYS	14
3.5	LEVELLING SURVEYS	15
3.6	SURVEY RECORDS AND SUPPLY OF SURVEY INFORMATION	15
3.7	REQUIREMENTS WHEN WORKINGS ARE TO BECOME INACCESSIBLE	16
3.8	SURFACE MOVEMENT AND SUBSIDENCE	17
4	MINE WORKINGS PLAN	18
4.1	GENERAL	18
4.2	WORKING LEVEL PLANS AND VOID PLANS	19
4.3	WORKING LEVEL SHEETS AND VOID SHEETS	19
4.4	PREPARATION OF THE MINE WORKINGS PLAN	19
4.5	ADDITIONAL INFORMATION	21
4.6	ENDORSEMENT	21
4.7	OLD WORKINGS/SURVEYS	21
4.8	CERTIFICATION	22
4.9	CERTIFICATION HISTORY	22
4.10	CATALOGUE NUMBER	22
5	MINE WORKINGS SPATIAL INFORMATION	23
5.1	PREPARATION	23
5.2	COMPOSITION	23
5.3	SUPPLY	23
5.4	CERTIFICATION	24
6	CLOSING PLANS	24
6.1	AUTHORISATION	24
6.2	DISCONTINUANCE	24
6.3	CHARTING FOR DISCONTINUANCE	24
6.4	CHARTING FOR ABANDONMENT	24
6.5	CESSATION OF DUTIES OF THE REGISTERED MINING SURVEYOR	24
6.6	REPLACEMENT OF OPERATOR	25
7	SUPPLY OF MINE WORKINGS PLAN AND DIGITAL DATA	26
7.1	PERIOD SUPPLY	26
7.2	SUPPLY ON DISCONTINUANCE AND ABANDONMENT	26
7.3	SUPPLY ON CESSATION OF DUTIES OF A REGISTERED MINING SURVEYOR	27
7.4	EXEMPTION	27

7.5	EXTENSION OF TIME	27
8	OTHER PLANS REQUIRED	28
8.1	VENTILATION PLAN (UNDERGROUND MINES)	28
8.2	ESCAPE AND RESCUE PLAN (UNDERGROUND OPERATIONS)	28
8.3	SURFACE PLAN	29
8.4	SITE SERVICES PLAN (UNDERGROUND AND OPEN CUT MINES)	29
8.5	MINING REHABILITATION AND ENVIRONMENTAL MANAGEMENT PROCESS (MREMP)	29
8.6	TAILINGS DAMS/WASTE DUMP AREAS	30
8.7	PLAN STANDARDS - GENERAL	30
8.8	DECLARATION	30
9	STANDARDS FOR THE PREPARATION OF MINE WORKINGS DIGITAL THEMES	31
9.1	GENERAL	31
9.2	THEME ATTRIBUTE NAMES AND DEFINITIONS	31
9.3	THEME ATTRIBUTE ALLOCATION AND FEATURE TYPE	31
9.4	ATTRIBUTE VALUES	31
9.5	FILE FORMAT	31
9.6	DATE	31
9.7	FILE NAMING CONVENTION	32
9.8	METADATA STATEMENTS	32
9.9	PRECISION	32
9.10	PREPARATION OF ADDITIONAL THEMES	32
9.11	PREPARATION OF ADDITIONAL ATTRIBUTES	32
TABLE 9.1	33
TABLE 9.2	35
TABLE 9.3	35
TABLE 9.4	36

1 GENERAL

1.1 Authorisation

The surveys, plans and digital data standards detailed in these Directions are required by the Surveying Act 2002 and clause 4 of the Surveying Regulation 2006. Specifically the Mine Workings Plan (MWP) is required to be kept in satisfaction of Part 7 of the Mine Health and Safety Regulation 2007 *Mine Plans*.

1.2 Preparation

These Directions provide principally for the conduct of surveys and preparation of plans for metalliferous mines in New South Wales. They provide guidance for preparation of the Hard Copy Digital Themes, storage and preparation of the Mine Workings Plan and Mine Workings Spatial Information for the whole of the mine. They also provide some guidance to the preparation of other plans based on the Mine's electronically stored data required by the Mine Health and Safety Regulation 2007 and various Departmental guidelines.

1.3 Compilation

1.3.1 The Mine Workings Plan and Mine Workings Spatial Information shall be surveyed and compiled on the Map Grid of Australia 1994 (MGA94) based on the Geocentric Datum of Australia 1994 (GDA94) values. The Mine Workings Plan shall be sectionalised into sheets as a best fit for individual mines. In determining the best fit for the sheet layout the surveyor should be mindful of the need to provide for expansion of the mine and to fit with adjoining mine workings. If in doubt the surveyor should consult with the Department and with neighbouring mines.

1.3.2 The Surveyor-General may request of the Department copies of the Mine Workings Spatial Information to be lodged with the Register of Public Surveys in accordance with the Surveying Act 2002.

1.3.3 Where old workings exist it shall be assumed, for the purpose of marking the Mine Workings Plan, that they constitute a danger until proven otherwise. In this situation, all plans should be regarded with suspicion until their accuracy has been verified. Reasonable effort should be made to obtain all existing information about old workings and, once obtained, to ensure that they are recorded on the Mine Workings Plan in accordance with these Directions.

Note. Clause 47 (a) & (b) of the Regulation prescribes this.

1.4 General

1.4.1 These Directions are to be followed by all Registered Mining Surveyors in all open cut and underground operations:

- i. on current mining leases
- ii. all mines employing 20 or more persons

- iii. Those places described in Part 2 of the Mines Health and Safety Act 2004

1.4.2 These Directions are to be used in the compilation of a Mine Workings Plan for each mining operation.

1.4.3 A Mine Workings Plan consists of any number of sheets showing the entire workings of a mine in plan or section. Each sheet will represent a part or whole of one or more mining horizons or an area of the mining or quarrying operation shown in plan. The Mine Workings Plan as defined in these Directions includes any cross section or longitudinal section sheets used.

1.4.4 Other plans may be required as set out in Section 5 of these Directions.

1.4.5 The Surveyor General may delegate to the Chief Inspector the authority to grant an exemption from any clause of these Directions if particular circumstances warrant. Any application for an exemption from compliance with any clause of these Directions must be made in writing to the Chief Inspector.

1.5 Symbols

The technical symbols, sign conventions and definitions for strata to be shown on the Mine Workings Plan and the Mine Workings Spatial Information shall be in accordance with these Directions, and shall conform to those illustrated in the Australian Standard for Mine Plans – Preparation and Symbols (AS-4368), the Australian Standard for Geological Symbols (AS-2916). If a symbol is not provided for in AS4368 or AS2916 the Registered Mining Surveyor may create a suitable symbol to be also shown in the legend.

1.6 Duties of a Registered Mining Surveyor

A Registered Mining Surveyor must ensure that:

- a) any variation of the mine operation workings from a mine workings plan of which the surveyor becomes aware, or
 - b) any interference with or obstruction to the performance of his or her functions, or
 - c) any doubt about the accuracy of any plans,
- is brought to the attention of the relevant operator.

Note: Clause 108 of the Regulation prescribes this requirement.

1.7 Liability of a Registered Mining Surveyor

The liability of a Registered Mining Surveyor in complying with these Directions for a Mine shall be limited to the period of time of nomination as the Registered Mining Surveyor for that Mine.

Note. Subdivision 3 of Division 2 of Part 5 of the Act applies to the Management Structure for a Mine Operation.

1.8 Conversion to MGA94

- 1.8.1** When new sheets of the Mine Workings Plan are being prepared to comply with Clause 1.3.1 and the workings of any part of the mine are deemed to be completed, sealed or otherwise become inaccessible, it shall be acceptable to draw an outline of such workings and to endorse the new Mine Workings Plan to refer to the previously prepared Mine Workings Plans for detail.
- 1.8.2** Any previously prepared Mine Workings Plan referred to in clause 1.3.1, may also be a historical set of mine drawings, not in current usage, but accessible and in good condition. The relationship of the origin and height datum of any set of drawings to the current mine grid and datum or to MGA94 and AHD must be established.
- 1.8.3** Should the workings referred to in clause 1.8.1 become active, or are used for access in an area previously shown in outline the survey of the workings shall be transferred in full to the new Mine Workings Plan.
- 1.8.4** Nothing shall prevent the Registered Mining Surveyor from transferring inactive mine workings in full to the new Mine Workings Plan.
- 1.8.5** An existing mine operating to a local grid and height datum, may apply in writing to the Chief Inspector for an exemption from clause 1.3.1 and 3.1.1. Where an application is made the mine is required to provide an accurate relationship between the local grid and height datum and MGA94 and AHD.
- 1.8.6** If an exemption is granted under clause 1.8.5, the following is required
- a) The relationship in terms of bearing, distance and coordinates between local grid and MGA94 must be set out in a 'Letter of Datum Reference' to be provided to the Chief Inspector. The letter will be kept on file at the Department of Primary Industries and the information updated as necessary.
 - b) A notation must appear on the Mine Workings Plan as to the location of any additional information relevant to the Mine Workings Plan including reference to the various datum.
 - c) Sufficient points of known coordinate value in both the local mine grid and MGA94 must be provided to allow 'rubber sheeting' of the Mine Workings Plan onto the MGA94 grid. The lease external boundary pegs would be suitable for the purpose. It is envisaged that these points would be tabulated in the 'Letter of Datum Reference'.

2 DEFINITIONS

In these Directions the following words and terms have the meanings indicated:

Abandoned

A mine shall be deemed to be abandoned where the working of the mine, or deposit, as the case may be, have been discontinued and there is no care and maintenance in place.

Act

Unless otherwise stated means the Mine Health and Safety Act 2004.

Adit

Means a horizontal or near horizontal entrance to a mine

Attribute

A database field attached to a feature object in a theme used to describe spatial data and is also known as “object data”.

Australian Height Datum (AHD)

AHD is the datum surface approximating mean sea level that was adopted by the National Mapping Council of Australia in May 1971.

Bench Marks

Marks established at or in a Mine from which the levels (heights) of the Mine workings are determined.

Borehole

A Borehole includes any hole (whether vertical, horizontal, inclined, or a combination of these), that may affect the safety of the Mine, drilled for: -

- a) exploration,
- b) gas or water drainage,
- c) auger holes,
- d) for transport of materials including (but not limited to), sand, inflammable materials or fuels, cement, slurry, sewage or water
- e) services (e.g. power, water and other services)
- f) or any other purpose,

but does not include blast holes or shallow holes from the working area that do not intersect another area of the mine.

Borehole Plan

A plan or plans prepared in accordance with these Directions as an addition to the Mine Workings Plan where density of boreholes affects the clarity of the Mine Workings Plan.

BOSSI

Means the Board of Surveying and Spatial Information as Constituted by the Surveying Act 2002 No 83.

Care and Maintenance

Discontinued mine workings are said to be under Care and Maintenance where mining is suspended and when the mine workings are maintained in a generally safe and accessible condition so as to allow for recommencement of mining activities without sterilisation of reserves.

Certification

A written statement or a schedule signed by the Registered Mining Surveyor attesting that the surveying procedures and plan preparation for the period certified, have been carried out pursuant to the standards required by these Directions, the Surveying Regulation 2006, the Act and the Regulation.

Chief Inspector

Means the Chief Inspector of Mines, New South Wales Department of Primary Industries - Mineral Resources. The same meaning as defined in the Act.

Control Surveys

Substantially marked surveys developed from a mine baseline to define the direction and position of the workings of a mine.

Cross Section Sheet

A sheet prepared as part of the Mine Workings Plan for open cut or underground operations, which shows the cross sections referred to on the plan sheets of the Mine Workings Plan.

Department

Means the New South Wales Department of Primary Industries - Mineral Resources (DPI - MR).

Development

In relation to a mining operation, includes all work undertaken to open up a mine by driving development openings or pre-stripping an open-cut body of ore.

Director-General

The Director-General of the Department. The same meaning as defined in the Act.

Discontinued (Discontinuance, refer to clause 144(1)(c) of the Regulation)

Any discontinuance of all work at the mine (where mining is suspended but the operation is kept on a care and maintenance basis),

Escape and Rescue Plan

Plan required by clause 34 of the Regulation.

Endorsement

A notation created, initialled and dated by the certifying Registered Mining Surveyor, drawing attention to any aspect of the compilation of the Mine Workings Plan or Mine Workings Spatial Information that is considered necessary or informative that may or may not be a requirement under these Directions or any legislation.

ESRI Geodatabase

A Database created through *ESRI ArcGIS* software containing digital themes and their attribute information, allowing access to large volumes of geographic data. (See SECTION 9 of these Directions)

Feature Type

Description on how spatial data should be defined, for example, a point, line, or polygon.

Geocentric Datum of Australia (GDA)

A datum surface approximating the shape of the earth's surface that was adopted by the Inter- Governmental Committee for Surveying and Mapping in May 1990.

Note. The datum surface is described in a notice published by the Surveyor-General in NSW Government Gazette No 88 of 8 August 1997 and designated in that notice as "The Geocentric Datum of Australia (GDA)".

Government Officials

Means a person appointed under the Public Sector Employment Act 2002, for the purposes of the Mine Health and Safety Act 2004, and includes the Chief Inspector, District Inspector, a mine safety officer or an investigator.

Hard Copy

In regard to paragraphs 3.1.8, 3.4.2, 7.2.1 and 7.2.2 of these Directions Hard Copy means plans prepared on 75 Micron double matt transparent drafting film with archival UV stable inks, for all other cases coated paper Hard Copy with durable inks is acceptable. Whenever Hard Copy plans are submitted to the Director-General they shall be backed-up in PDF (Portable Document Format) on CD-R which shall accompany any such plans submitted.

Height Datum

All levels shown on the Mine Workings Plan, and all other plans prepared under these Directions, shall be reduced to Australian Height Datum (AHD).

ICSM SP1

The Inter-Governmental Committee on Surveying and Mapping Special Publication 1 "Standards and Practices for Control Surveys".

Inrush

An unplanned or uncontrolled flood of liquid, gas or material that has the potential to create a hazard.

Longitudinal Section Sheet

A sheet prepared as part of the Mine Workings Plan for open cut or underground operations, which shows the longitudinal sections referred to on the plan.

Map Grid of Australia 1994 (MGA94)

Has the same meaning as defined in the Surveying Regulation 2006.

Metadata

“Information about data” and is used to inform the user of the lineage, accuracy and limitations that may exist within the data. The aim of metadata is to enable the end-user to work with the data with a known level of confidence.

Mine

Has the same meaning as defined in the Mine Health and Safety Act 2004.

Mine Baseline

A permanently marked survey line established as part of the State Survey Control Network.

Metal and mineral

includes gold, sandstone, basalt, andesite, trachyte, porphyry, any substance which is for the time being a mineral within the meaning of the Mining Act 1992 or the Offshore Minerals Act 1999 and any other substance or rock used for commercial or industrial purposes or obtained for use by a council, or by a county council, within the meaning of the Local Government Act 1993, and includes coal and shale.

Mine Holder

As defined in the Mine Health and Safety Act 2004 and means:

- a) in relation to land subject to a mine holding that is registered - the person in whose name the mine holding is registered in the register of mine holdings kept by the Director-General under section 163A of the *Mining Act 1992*, or
- b) in relation to land not subject to a mine holding but otherwise subject to a mining title granted under the *Mining Act 1992* or a mining licence granted under the *Offshore Minerals Act 1999* - the person who holds the title or licence, or
- c) in relation to land where there is no requirement for grant of a mining title under the *Mining Act 1992* - the person with the right to extract minerals or quarry product from the land.

Mine Services Plan

Plan prepared showing services around the surface of the mine and any information that may assist in the case of an emergency.

Mine Workings Plan (MWP)

The plan required to be kept under Part 7 of the Regulation, *Mine Plans*, and compiled in accordance with these Directions.

Mine Workings Digital Themes

Any spatial data required to be submitted, as Mine Workings Spatial Information, under these Directions. Compilation of the digital themes will be in accordance with Part 9 of these Directions. See also *ESRI Geodatabase*.

Mine Workings Spatial Information

Digital files containing Mine Workings Plan data in the form of digital themes prepared in accordance with these Directions.

Open Cut

Means a surface excavation.

Operator

As defined in MHSA 2004 and means:

- a) the mine holder, if the mine holder nominated himself, herself or itself as the operator of the mine under Section 22 of the MHSA 2004 and that nomination is not rejected, or
- b) the person nominated by the mine holder as the operator of the mine, and not rejected by the Chief Inspector, under Section 22 of the MHSA 2004, or
- c) the person declared by the Chief Inspector to be the operator under section 23 of the MHSA 2004, or
- d) the person prescribed by, or determined in accordance with, the regulations to be the operator of the mine.

Potential Sources of Inrush

Potential sources of inrush include sudden and unplanned entry of water, gas, rock or other substances into the underground workings of the mine (Clause 37 of the Regulations).

Precision

Coordinate precision refers to the mathematical exactness of a coordinate and is based on the possible number of significant digits that can be stored for each coordinate.

Raise or rise

Means a development excavated upwards from a level drive or crosscut.

Registered Mining Surveyor

Means a person who is registered as a mining surveyor under the Surveying Act 2002. A registered mining surveyor in accordance with Part 7, of the Regulation.

Regulation

Unless otherwise stated means the Mine Health and Safety Regulation 2007.

Reporting Period

The Reporting Period shall be:-

- For supply of the Mine Workings Spatial Information to the Director-General as a Digital file in accordance with paragraph 5.3.1 – Twelve (12) monthly,
- For supply of a copy of the Mine Workings Plan as a pdf file to the Director-General (the Mine Workings Plan) – Twelve (12) monthly.

Shaft

Means an opening into a mine having an inclination to the horizontal of 15° or more through which persons or materials are raised or lowered, or which is used as a main intake or outlet for ventilation.

Stope

Means an excavation, other than development workings, made for the purpose of excavating ore.

Subsidiary Survey

A survey based on Control Surveys to develop the workings of a Mine or to locate the position of the workings of a Mine.

Supervision

When a survey is carried out in accordance with these Directions the Registered Mining Surveyor must exercise such personal oversight and direction of the work as is necessary to ensure that the Registered Mining Surveyor has the knowledge to certify all aspects of the survey and that the survey has been carried out in accordance with sound professional practice and these Directions.

Surface Plan

The Plan prepared in accordance with these Directions showing surface features, infrastructure and services subject to mine operations, whether open cut or underground, and includes mineral processing and handling facilities located on a mine site.

Survey Records

For the purpose of these Directions, survey records shall be taken to mean any plan, survey or spatial information required under these Directions and includes field books, level books, co-ordinate books, calculations and any other note books, sheets or plans used for recording relevant survey data, all survey observations, and compilations whether recorded or stored in written, photographic, digital or electronic form.

Surveyor-General

Has the same meaning as defined in the Surveying Act 2002.

Themes

Theme refers to a type of information stored on a single layer of a digital drawing document. The Department uses ArcInfo as a GIS database, and for the purposes of these Directions, a theme and a layer are similar.

Underground Baseline

A permanently marked survey line established in underground workings from which underground surveys are developed. The Underground Baseline shall be connected by Control Survey to the Mine Baseline.

Ventilation Plan

Plan prepared in accordance with these Directions showing all ventilation appliances and airflow.

Void

All excavations, ramps and disturbed ground, including insitu-blasted material within an open cut mine.

Winze

Means a development excavated downwards from a drive or crosscut.

3 SURVEY STANDARDS AND PROCEDURES

3.1 Origin of Co-ordinates

- 3.1.1** All surface and underground surveys made and carried out in accordance with these Directions shall be calculated and plotted by using the Map Grid of Australia (MGA94).
- 3.1.2** All surveys are to originate from the Mine Baseline or may originate from any other mark included in the State Survey Control Network having a standard of accuracy consistent with that of the Mine Baseline.
- 3.1.3** The horizontal survey of the Mine Baseline should be planned and surveyed to Class “B” standards of accuracy as defined in ICSM SP1. The geometry of the network should be consistent with this standard of accuracy.
- 3.1.4** Each end of the Mine Baseline should be assigned an AHD Reduced Level surveyed to ICSM SP1 Class “LD” spirit levelling or Class “B” from Trigonometric Heighting or GPS Heighting (AHD derived).
- 3.1.5** At each end of the Mine Baseline there shall also be established a reference mark of durable nature connected by bearing and distance to the baseline permanent marks.
- 3.1.6** Should the position or co-ordinate values of the Mine Baseline change, this information shall be reported in accordance with the Surveying Regulation 2006, Clause 41.
- 3.1.7** Surface Baseline terminals shall be approved Permanent Marks as described in Surveyor – Generals Direction No.1 – Approved Permanent Marks.
- 3.1.8** Where Permanent Marks are placed for a Baseline, a Hard Copy plan and an electronic record with digital survey data shall be forwarded to the Director-General who in turn shall forward the information to the Surveyor-General for approval to be included in the State Control Network.
- 3.1.9** The Mine Baseline, where possible, shall not be less than 250 metres in length.
- 3.1.10** For an existing mine, the current baseline marks should be retained provided they are of a durable nature.

3.2 Underground Baseline

- 3.2.1 Each underground mine shall have established a baseline in the underground workings. The Underground Baseline shall be in a suitable position and as long as practicable in length. The terminal marks shall be stable and durable. Underground Baseline details shall be recorded on the Mine Workings Plan.
- 3.2.2 Sufficient subsidiary baselines shall be established by control survey to confirm orientation of the Mine workings. The baseline details shall be recorded on the Mine Workings Plan

3.3 Control Surveys and Subsidiary Surveys

- 3.3.1 Accuracy: Each control survey must be planned and surveyed to ensure these surveys satisfy the conditions to achieve a standard of accuracy as prescribed in ICSM, SP1 to achieve Class D or better. All control surveys observed data must be analysed to ensure all control surveys achieve a standard of accuracy as prescribed in ICSM SP1 to a minimum standard of Class D. When calculating compliance to ICSM SP1 Class D via the formula $r = c(d + 0.2)$ this Direction specifically defines d as the following:

d = distance to any station in km, with a minimum value of 1(km).

- 3.3.2 Marking: Each control survey station shall be adequately referenced and substantially marked. As far as practicable the marks shall be placed in a position least likely to be disturbed.
- 3.3.3 Subsidiary surveys shall be employed by the Registered Mining Surveyor where necessary to accurately locate all of the Mine workings on the Mine Workings Plan. Such surveys shall be completed to the highest appropriate standards of accuracy.

3.4 Correlation of Surface and Underground Surveys

- 3.4.1 Correlation between surface and underground surveys shall be consistent with a Class D survey as prescribed in ICSM SP1.
- 3.4.2 In correlation of surface and underground surveys where methods other than direct traverse are employed for azimuth or co-ordinate transfer, the surveys shall be shown on a plan separate from the Mine Workings Plan and shall disclose the special survey methods employed. The plan shall be submitted to the Director-General and the Registered Mining Surveyor shall certify that the survey shown on the plan is accurate and meets the requirements of these Directions.

3.5 Levelling Surveys

3.5.1 Order of accuracy of benchmarks: Such levelling shall be completed to ICSM SP1 Class "LD" or Class "B" standards of accuracy.

3.5.2 Accuracy of Mine workings: Such levelling shall be completed to ICSM SP1 Class LE standard of accuracy or to within 0.1 metre. Where vertical measurement is necessary for transference of the value of the surface bench mark to a nominated underground bench mark, the maximum permissible error should not exceed 0.05 metre.

3.6 Survey Records and Supply of Survey Information

3.6.1 Systematic and reasonable care shall be taken by the Registered Mining Surveyor for the safe preservation of all survey records required under these Directions.

3.6.2 Survey records for each of the following purposes shall be kept at the survey office for the Mine:-

- a) control surveys
- b) subsidiary surveys
- c) levelling surveys
- d) surface movement and subsidence surveys

3.6.3 Such survey records shall be maintained manually on field book or other stable material, electronic text or image or other means not visually perceptible without the aid of a machine or other device. Where a machine or other device is required to access the stored data the Registered Mining Surveyor shall ensure the data is regularly updated to a media and format that is currently available.

3.6.4 Survey records are to be permanently recorded and maintained in accordance with ICSM SP1 and these Directions.

- a) All survey books shall be maintained in good order and shall have the following description clearly and permanently marked on the cover and inside title page:
 - (i) the Mine name,
 - (ii) for underground mines, the level name, and catalogue number to which the book refers,
 - (iii) consecutive index number
- b) The following procedures shall be adopted for entries into survey books:-
 - (i) all survey observations and measurements shall be recorded at the time of survey;

- (ii) in the event of alteration of a mistake there shall be no erasure. The erroneous entry should be struck through and the correction written above;
- (iii) the datum line of the survey and the azimuth adopted shall be clearly indicated;
- (iv) lengths shall be entered at the time they are measured. Where appropriate, corrections shall be noted and the lengths deduced there from shall be clearly indicated;
- (v) bearing and distance from reference marks must be clearly shown;
- (vi) reference marks and Bench Marks placed by the surveyor shall be so noted and the positions and descriptions thereof shall be shown by a sketch in the appropriate book;
- (vi) lines remeasured shall be so specified and original distances and bearings shown;
- (vii) The Registered Mining Surveyor shall sign the field book such that the work shown therein was performed by him or under his supervision and indicate the date on which the work was performed.

3.6.5 Where surveys are recorded in electronic form the information to be recorded shall be consistent with that required for survey books (see 3.6.4 (b)). A complete and separate duplicate of such records shall be preserved on paper or disc or other permanent electronic medium. Where a machine or other device is required to access the stored data the Registered Mining Surveyor shall ensure the data is regularly updated to a media and format that is currently available

3.6.6 The nominated Registered Mining Surveyor of any Mine, upon the request of the Chief Inspector, shall make available, in a format specified by the Chief Inspector all or any survey records or certified copies thereof.

3.7 Requirements when workings are to become inaccessible

3.7.1 Before any part of the workings of a Mine becomes inaccessible, where reasonable, practical and safe to do so, the position of the workings shall be established from a control or subsidiary survey.

3.7.2 Sufficient levels shall be taken to enable contours of the floor of the working section to be calculated. (See 3.5.2)

3.7.3 Where inaccessible workings are not surveyed in accordance with these Directions, the Registered Mining Surveyor may draw upon any available resources of the Mine to best locate the inaccessible workings for the purpose of completion of the Mine Workings Plan, with suitable Endorsement.

3.8 Surface Movement and Subsidence

- 3.8.1** Where the Chief Inspector directs, surveys are to be undertaken to record surface movement, including subsidence induced by mining.
- 3.8.2** Such surveys shall be carried out in accordance with the standards set out in these Directions, or as otherwise directed by the Chief Inspector.
- 3.8.3** Such surveys shall be carried out under the supervision of, and certified by, a Registered Mining Surveyor.
- 3.8.4** All subsidence survey data including field notes is to be kept at the Mine in accordance with Clause 3.6 of these Directions.

4 MINE WORKINGS PLAN

4.1 General

4.1.1 Direction

The Mine Workings Plan (MWP) shall be prepared by or under the supervision of the nominated Registered Mining Surveyor, within three months of commencement of the mining operation or such other time, as the Chief Inspector may direct by notice in writing, served on the Operator of the Mine.

4.1.2 Updating the Mine Workings Plan

Except where the mine is considered discontinued or abandoned, the Mine Workings Plan must be updated when it no longer accurately reflects the workings that have been carried out at the mine or the workings that are proposed to be carried out at the mine (Clause 94 of Regulation) and at the end of each Reporting Period. Sufficient surveys must be undertaken to ensure that the mine workings and/or stopes are accurately represented on the Mine Workings Plan in accordance with these Directions.

4.1.3 Composition

- a) In the case of an underground mine the Mine Workings Plan is prepared from the Working Level Sheet information and other layout data required under these Directions.
- b) In the case of an underground mine the Mine Workings Plan shall comprise sheets for each Working Level, and other layout data, for the whole of the Mine as required by these Directions.
- c) In the case of an underground mine, a Mine Workings Plan shall be compiled on the Working Levels for each level being worked.
- d) In the case of an open cut mine, the Mine Workings Plan shall be compiled on the Void Sheets.
- e) The Mine Workings Plan sheets shall be AO size International Standards Organisation and may be orientated in either portrait or landscape direction. A standard (recommended) layout is available from the Department.

4.1.4 Presentation and Archiving – Hard Copy

- a) A Hard Copy of the Mine Workings Plan should be produced on stable and durable material depending on the requirements of these Directions.
- b) The Hard Copy will comprise all sheets on which workings have occurred.

4.2 Working Level Plans and Void Plans

- a) The underground mine workings or open cut voids shall be mapped on Level Workings Plans or Void Plans, respectively, for the whole of the mine workings area of a Mine.
- b) The Working Level Plans and Void Plans shall be compiled to truly represent the survey of the mine as required by these Directions.

4.3 Working Level Sheets and Void Sheets

- a) The Working Level Sheets and Void Sheets shall be compiled from the Level Workings Plan and Void Plan, respectively, at a ratio that best reflects the mine workings with sufficient clarity and number of sheets to cover the extent of the workings and necessary adjacent workings.
- b) The Working Level Sheets and the Void Sheets shall be sized to fit the mapping area of the Mine Workings Plan sheets.
- c) Full lines are to be shown for the Map Grid of Australia commencing at the lower left corner of the mapping area. The extremities of each grid line shall be annotated with the grid value. For an existing mine operating to a local grid and height datum under Clause 1.8.5, the full lines shall represent the mine's datum and a second grid, comprised of tick marks or crosses, shall display the MGA coordinate system.

4.4 Preparation of the Mine Workings Plan

Information to be shown on the Mine Workings Plan.

4.4.1 In the mapping area

4.4.1.1 General for both Underground and Open Cut Mines

- a) **Adjacent Mine Workings** - an outline of all workings in any direction within 100 metres of the current mine being worked.
- b) **Barriers and Restricted Zones**
- c) **Borehole Locations**
 - i. Where it is not practical to show all Boreholes on the Level Workings sheet, a separate "Borehole Plan", which shall become part of the Mine Workings Plan, shall be produced as an overlay.
 - ii. a reference on the Level Workings Sheet is required to indicate the existence of any Borehole Plan sheet.
 - iii. All Boreholes should be identified as to type and name and their current status (e.g. open, sealed, filled and/ or capped).
 - iv. Where Boreholes are drilled in adjacent strata sufficient reduced levels should be shown to indicate their position.
 - v. Any Borehole that is removed by the mining process or is in the void is not required to be shown. Remnant stubs of these holes, however, which may present a hazard to future mining operations, must be shown.
- d) **Cadastral Parcels** - (State if LPI DCDB is used).
- e) **Tailings/Dump Areas**

- f) **Grid Lines**
- g) **Mining Approvals/ Acceptances** (extent to be shown in red)
- h) **Mining Lease Boundaries.**
- i) **Parish Boundaries**
- j) **County Boundary**
- k) **Potential Sources of Inrush** (to be shown outlined in green)
- l) **Prescribed Dams / Tailings Dams**
- m) **Survey Control Stations** including Bench Marks
- n) **Surveyed Geofeatures** - all known outcrops, subcrops, faults, dykes, cinder belts, and other significant dislocations, as surveyed.
- o) **Mine Operation Boundaries**

4.4.1.2 Underground Mines (Level Workings Plans)

- a) **First workings** - Development
- b) **Mine Underground Access** - mine shafts, rises, winzes, adits, and declines.
- c) **Second workings / Stopes**
- d) **Date Lines** (dashed) indicating the extent of workings for each survey Reporting Period along with the date and initials of the Registered Mining Surveyor
- e) **Working Level Floor Heights** (from spot heights and shown in blue)
- f) **Level Names**
- g) **All major ventilation devices** as per Clause 48(e) of the Regulations

4.4.1.3 Open Cut Mines (Void Plans)

- a) **Void Contours** at five (5) metre vertical intervals.
- b) **Void detail line** (breakline)

4.4.2 Mine Workings Plan layout information

4.4.2.1 In the sheet heading area:-

- a) The name of the Mine.
- b) The Mine Workings Plan Catalogue Number.
- c) The Parish and County names.
- d) The name of the Level being represented.
- e) The number of the sheet and the number of sheets that make up the mine operation.

4.4.2.2 In the map surround area:-

- a) The reduction ratio and a graphical (bar) scale together with a statement that all measurements are in metres,
- b) A north point indicating grid north,
- c) A schedule of symbols used on the particular sheet,
- d) A sheet index showing (A vertical level index may be necessary):-
 - (i) All the sheets necessary to cover the Mine Operations Boundary
 - (ii) The number of each sheet
 - (iii) The particular sheet shown by a heavy outline
 - (iv) Outline of Mine workings

- e) A schedule of Endorsements made by the Registered Mining Surveyor,
- f) A statement or schedule certifying the accuracy of the sheet, including:
 - (i) The name and signature of the certifying Registered Mining Surveyor
 - (ii) The certifying surveyor's Registration Number
 - (iii) The date of Certification
- g) The origin of levels and the grid bearing and terminal survey stations of the Mine Baseline or survey control marks used for surveys within the sheet,
- h) For underground Mines, a schedule or schedules of survey marks and Bench Marks containing their identification, coordinates and height,
- i) For underground Mines, a schedule of shafts, rises, winzes, boreholes, with coordinates and heights of the commencing and finishing locations.
- j) A schedule of Boreholes showing coordinates and heights of the collar or starting location together with the general direction, inclination and length.

4.5 Additional Information

4.5.1 Nothing in these Directions shall prevent the inclusion of any additional information on the Mine Workings Plan providing it is shown in a manner consistent with these Directions.

4.5.2 The Registered Mining Surveyor shall show on the Mine Workings Plan any additional information as directed in writing by the Chief Inspector.

4.5.3 Any additional information discovered by or indicated to the Registered Mining Surveyor which may present a hazard either to the Mine, adjacent mines or persons in those mines should be recorded on the Mine Workings Plan.

4.6 Endorsement

Where any information shown on the Mine Workings Plan is considered to be in doubt or any other information that the Registered Mining Surveyor considers requires Endorsement, the Mine Workings Plan shall be suitably endorsed.

4.7 Old Workings/Surveys

Where old surveys or old workings are converted to the current Mine Grid/Datum or GDA 94/MGA94 such conversion shall be suitably endorsed on the Mine Workings Plan.

4.8 Certification

4.8.1 The Hard Copy of the Mine Workings Plan shall be certified by the Registered Mining Surveyor in the Certification of Accuracy schedule after the most recent Reporting Period has been charted.

4.8.2 The Registered Mining Surveyor shall, by signing and dating the Certification of Accuracy schedule, declare for that Reporting Period that: -

- a) the Mine Workings Plan has been prepared in accordance with these Directions, and,
- b) the surveys shown on the Mine Workings Plan have been completed to an accuracy as prescribed in these Directions.

4.9 Certification History

The Mine Workings Plan shall have recorded digitally, in the Certification of Accuracy schedule, the certification details for each plan update.

4.10 Catalogue Number

The Department's cataloguing system shall continue for each Mine according to a unique number identification system prefixed by the letters 'MWP'. This unique number is to be clearly identified on the Mine Workings Plan or any copy thereof.

5 MINE WORKINGS SPATIAL INFORMATION

This section refers to the preparation, composition and supply of the Mine Workings Spatial Information as a digital file.

5.1 Preparation

5.1.1 The Mine Workings Spatial Information shall be prepared by or under the supervision of the Registered Mining Surveyor.

5.1.2 The Mine Workings Digital Themes shall be prepared to the standards required by **Section 9** of these Directions.

5.1.3 All Mine Workings Digital Themes shall be kept at the survey office for the Mine.

5.2 Composition

The Mine Workings Spatial Information shall be digital files of the Mine Workings Digital Themes for the whole of the Mine. Digital files may be in 2D or 3D format that are compatible with the Departments ESRI GEODATABASE.

5.3 Supply

5.3.1 The Digital File shall be supplied on a CD-R (Compact Disc – Read only) and shall be submitted to the Director-General at the end of each Reporting Period to coincide with the preparation of the Hard Copy to be kept at the mine.

5.3.2 The following Mine Workings Digital Themes are the minimum number of themes to be supplied, as appropriate to each Mine:-

- a) For Underground Mines – Mine Workings Outline
- b) For Open Cut Mines – Mine Workings Outline, Void Contours and Breaklines

5.3.3 The Surveyor-General or Chief Inspector may from time to time vary or amend the requirements for the lodgement of Digital Mine Workings Spatial Information or require additional Mine Workings Digital themes to be supplied.

5.3.4 The following information will be recorded on the label of the CD-R with a permanent marking pen:

- a) The name of the Mine Operation
- b) The MWP catalogue number for the associated MWP.
- c) The name and signature of the certifying Registered Mining Surveyor
- d) The certifying Registered Mining Surveyor's Registration Number.
- e) The date of Certification.

5.4 Certification

The Registered Mining Surveyor shall, by signing and dating the CD-R, declare that the Mine Workings Digital Themes contained on the CD-R, are an accurate representation of the mine workings and comply with these directions.

6 CLOSING PLANS

6.1 Authorisation

Clause 103 of the Regulation as required by section 69 of the Act.

6.2 Discontinuance

Where a Mine has not been worked for a period of 2 months the owner of the Mine shall have the Mine Workings Plan charted to the date of discontinuance.

6.3 Charting for Discontinuance

These procedures are to be followed in the case of the discontinuance of a Mine:-

6.3.1 The Mine Workings Plan shall be charted, dated and signed by the Registered Mining Surveyor to the date of discontinuance. The Registered Mining Surveyor shall place a broken line around the extent of the workings, which shall be dated and initialled.

6.3.2 The note "Charted to date of Discontinuance" is to be shown in the "Schedule of Certification of Accuracy" above the date and the Registered Mining Surveyor's signature.

6.4 Charting for Abandonment

These procedures are to be followed in the case of the abandonment of a Mine:-

6.4.1 The Mine Workings Plan shall be charted, dated and signed by the Registered Mining Surveyor to the date of abandonment. The Registered Mining Surveyor shall place a broken line around the extent of the workings, which shall be dated and initialled.

6.4.2 The note "Charted to date of Abandonment" is to be shown in the "Schedule of Certification of Accuracy" above the date and the Registered Mining Surveyor's signature.

6.5 Cessation of Duties of the Registered Mining Surveyor

6.5.1 Upon permanent cessation of duties of the nominated Registered Mining Surveyor, the Mine Workings Plan shall be charted, dated and signed by the Registered Mining Surveyor. The Registered Mining Surveyor shall show the date of the workings at the time of

cessation in a similar manner to that of the normal survey Reporting Period.

6.5.2 The note 'Charted to date of Cessation of duties of the Registered Mining Surveyor' is to be shown in the 'Schedule of Accuracy' above the date and the Registered Mining Surveyor's signature.

6.5.3 The Registered Mining Surveyor shall by signing and dating the Certification of Accuracy schedule declare for that period from the last Reporting Period until the date of cessation of duty that:

- a) The Mine Workings Plan has been prepared in accordance with these Directions; and
- b) The surveys shown on the Mine Workings Plan have been completed to an accuracy prescribed in these Directions.

6.6 Replacement of Operator

6.6.1 When an operator is to cease to operate a mining operation and is to be replaced by another operator, the outgoing operator must update the mine workings plan and provide the updated plan to the incoming operator.

Note. Clause 102 of the Regulation sets out this requirement.

7 SUPPLY OF MINE WORKINGS PLAN AND DIGITAL DATA

7.1 Period Supply

- a) A certified copy of the Mine Workings Plan shall be supplied to the Director-General as a pdf file on a read only CD for each Reporting Period (within 1 month of the end of each Reporting Period).
- b) The Registered Mining Surveyor shall advise the Director-General that the Mine Workings Plan has been sent from the Mine and by what means of transport.
- c) The Director-General shall advise the Registered Mining Surveyor within 7 days of receipt that the Mine Workings Plan has been received.
- d) The CD containing the pdf files of the Mine Workings Plan shall be kept safe and secure by the Director-General and made available for examination as required.
- e) The Registered Mining Surveyor shall archive the current copy as Hard Copy, plot file, or other electronic format.

7.2 Supply on Discontinuance and Abandonment

The following are the requirements for the Operator of a Mine to supply information to the Department upon Discontinuance or Abandonment.

7.2.1 Discontinuance

- 7.2.1.1 Where a Mine has been discontinued, the Mine Workings Plan shall, after charting, be supplied to the Director-General, in Hard Copy form, within one (1) month of such discontinuance, unless otherwise advised by the Director-General.
- 7.2.1.2 Upon Discontinuance of a Mine, all survey records relevant to the preparation of the Mine Workings Plan, shall be prepared by the Registered Mining Surveyor for submission to the Department.

7.2.2 Abandonment

- 7.2.2.1 Where a Mine has been abandoned, the Mine Workings Plan shall, after charting, be supplied to the Director-General, in Hard Copy form, within one (1) month of such abandonment, unless otherwise advised by the Director-General. As per Clause 103 of the Regulations.
- 7.2.2.2 On Abandonment of a Mine, the Mine Workings Plan, the Mine Workings Spatial Information and all survey records required to be

kept under these Directions, are to be forwarded, by a date specified by the Director-General, to the Department for preservation.

In cases, 7.2.1 and 7.2.2, the Director-General must be satisfied that the charting requirements have been met.

7.3 Supply on Cessation of Duties of a Registered Mining Surveyor

At the time of cessation of duties, and after certification has taken place, the Registered Mining Surveyor shall produce, a Hard Copy of the Mine Workings Plan and a copy of the Mine Workings Spatial Information on CD-R for retention at the office for the Mine.

The outgoing Registered Mining Surveyor, with the consent of the Mine owner, should take a Hard Copy of the sheets for his own record.

7.4 Exemption

Under special circumstances, the operator of a Mine may apply to the Chief Inspector for an exemption from the requirement to supply the Mine Workings Plan in accordance with these Directions. In granting exemption, the Chief Inspector may direct in writing, any other requirement for the supply of the Mine Workings Plan.

7.5 Extension of Time

The Chief Inspector may, should the circumstances so warrant, grant an extension of time for the preparation and supply of the Mine Workings Plan.

8 OTHER PLANS REQUIRED

Nothing shall prevent the Registered Mining Surveyor from combining one or more of the following plans provided legibility of the combined plan is retained. All such plans should be prepared generally in accordance with these Directions and should be certified and endorsed, as required, by the Registered Mining Surveyor or appropriate mine official as described in paragraph 8.8 of these Directions.

8.1 Ventilation Plan (Underground Mines)

The ventilation plan shall be compiled generally in accordance with these Directions at a scale that best reflects the mine workings and ventilation appliances.

The plan shall show vent walls, trapdoors, regulators, ventilation doors, the direction and nature of ventilation, auxiliary fans, booster fans and air reading stations with air quality and quantity, in relation to the mine workings. The plan will also show the locations of fixed gas monitoring plant.

A legend will be shown on the plan depicting symbols used together with a graphical representation of the scale.

This plan is to be updated monthly.

Note. In accordance with Clause 48 (e) and (f) of the Regulation (Ventilation) is to be prepared for all underground parts of an operation.

8.2 Escape and Rescue Plan (Underground Operations)

The Escape and Rescue Plan shall be compiled generally in accordance with these Directions at a scale that best reflects the mine workings and displayed appliances. The plan will include all levels of the mine to enable the self escape and/or rescue of personnel from any level from the mine.

This plan shall show each mine level, working or not, and means of egress from each part of the Mine to the surface, all self escape systems, shafts, ladder ways, all underground telephone stations, in relation to the mine workings. The plan shall also show main access roads, refuge chambers, main electric supply cables, fixed electrical apparatus, positions of first aid stations, hydrants, isolation valves, fire substations and fire depots, belt conveyors, known falls and accumulations of water and stowage identified as non-passable.

The plan shall also show any information including ventilation or any additional information identified as necessary for the dealing with an emergency at the operation.

The plan is to be displayed, reviewed at least 3 monthly and updated in accordance with the Regulation.

Note. In accordance with the Clause 34 of the Regulation, an Escape and Rescue Plan is to be prepared for all underground parts of an operation.

8.3 Surface Plan

A surface plan is to be kept at the Mine. The Surface plan shall be of a scale to best represent the surface features of the mine and shall cover the areas where mining operations have been or are being carried out and construction zones, as required by Clause 77 of the Regulation.

Topography may be shown if it adds to the interpretation of the plan. Compilation shall be generally in accordance with these Directions and the plan may be maintained as spatial information.

In the case of an Underground Mine, the Surface Plan shall show all streets, roads, reservoirs, swamps, water bodies, unconsolidated surface deposits, railways, main pipelines and any other feature whether of the same or of a different kind which, if disturbed by mining operations, is likely to cause damage to or danger in the Mine.

In the case of an Open Cut Mine, the Surface Plan shall show all streets, roads, reservoirs, swamps, water bodies and any other permanent feature whether of the same or of a different kind which, if disturbed by mining operations, is likely to cause damage to or danger in the open cut workings.

This plan shall be updated as often as it becomes necessary.

8.4 Site Services Plan (Underground and Open Cut Mines)

The site services plan shall be at a suitable scale. Compilation shall be generally in accordance with these Directions and the plan may be maintained as spatial information.

This plan should show only surface improvements and infrastructure that are part of the Mine, including but not limited to: buildings including administration, bathhouse and workshops, mine access points (portals, shafts, ramps); mine access roads including parking areas; processing plants and stockpiles; power reticulation including sub stations; water reticulation; compressors and compressed air reticulation; gas reticulation; sewer mains, treatment plants and transpiration areas; telephone and other communications lines; magazines including buffer zones; fire fighting equipment including fire stations, hydrants, extinguishers, depots; hazardous materials locations; dams and surface drainage; , boreholes which can be used for gas testing, and any information which may assist in the case of an emergency.

Topography may be shown if it adds to the clarity and understanding of the plan.

This plan shall be updated as often as it becomes necessary.

8.5 Mining Rehabilitation and Environmental Management Process (MREMP)

The MREMP guidelines are published by the Department and include both the Mining Operations Plan (MOP) guideline and the Annual Environmental

Management Report (AEMR) guideline. Plans prepared under these guidelines shall be prepared in accordance with the standards required by these Directions.

All such plans will be certified by the Registered Mining Surveyor and suitably endorsed where necessary.

8.6 Tailings Dams/Waste Dump Areas

Plans prepared in support of any such application to the Minister shall be prepared in accordance with the current guidance note and comply with the standards required by these Directions.

The plan shall be certified and suitably endorsed by a Registered Mining Surveyor.

Note. The MREMP process captures ongoing management of Tailings Dams/Waste Dump areas

8.7 Plan Standards - General

Any plan (including, where appropriate, plans subject to these Directions) required to be drafted by the Registered Mining Surveyor for purposes of the Mine, should be prepared in accordance with the relevant Australian Standard in particular, but not limited to, AS 4368, AS 1100 and AS 2916.

8.8 Declaration

A plan referred to in Section 8 of these Directions shall have an appropriate area on the plan allocated for Certification by the manager of mining engineering and/or Registered Mining Surveyor as appropriate for information on that plan. Such certification shall indicate the origin of the information and that the information shown on the plan is truly represented.

9 STANDARDS FOR THE PREPARATION OF MINE WORKINGS DIGITAL THEMES

9.1 General

The aim of this Section 9 is to provide standard methods for the construction and preparation of the Mine Workings Digital Themes. This section identifies how each theme should be represented graphically and the attribute information that should be included to describe each featured object in the theme.

This section identifies supporting information that is required to be submitted to the Director-General on the CD-R as provided for in Section 5.2 of these Directions.

9.2 Theme Attribute Names and Definitions

Table 9.1 identifies attribute names and definitions that must be used for all Mine Workings Digital Themes.

Attribute names are not to exceed ten characters in length. All theme names and attribute names can be in either title case or lowercase, and individual attribute values may be expressed in upper or lower case. Underscores must be used to join multiple words as gaps are not permissible.

9.3 Theme Attribute Allocation and Feature Type

All objects in a theme must have attributes attached and be of the same feature type (e.g. point, line, or polygon). Each theme required is listed in **Table 9.2** with corresponding attributes and feature types that must be used to represent the theme spatially.

9.4 Attribute Values

It is required, where possible, to use standard attribute values. This will allow the Department and other users of the themes to develop standard enquiries through their GIS software. Values for all attributes are required to be attached for all objects in the theme.

9.5 File Format

All Mine Workings Digital Themes that are to be submitted to the Director-General in accordance with these Directions shall be submitted as ESRI shape files (.shp).

9.6 Date

Date attributes are to be in database format 'character' and be in the form "dd/mm/yyyy" where date of workings are accurately known, general format "month year" (May 2006) or as a time period (1950-2000 or pre 2000) when the charted period cannot be accurately shown.

9.7 File Naming Convention

Table 9.3 identifies the specific filename that must be used for each Mine Workings Digital Theme that is to be written to the CD-R for submission to the Director-General in accordance with these Directions.

9.8 Metadata Statements

A metadata statement for the Mine Workings Digital Themes must be included and written onto the CD-R when it is submitted to the Director-General in accordance with these Directions. The metadata statement must be in Adobe Acrobat (.pdf) format and in the form outlined in **Table 9.4**. Metadata statements must be given a filename indicating mine name, MWP number and date.

The metadata statement should include information such as version date, custodian name, coordinate system, accuracy, potential limitations for data use, definitions of any codes used within the dataset and any other information about the data that is not evident in the attributes attached to the theme.

9.9 Precision

Spatial themes should be provided in the best available precision.

9.10 Preparation of Additional Themes

In the event that additional themes are to be submitted with those required by these Directions the attributes, the attribute names and formats should be consistent with this Section 9 of the Directions.

9.11 Preparation of Additional Attributes

In the event that additional attributes are required for a theme, the attributes and their formats should be developed consistent with this Section 9 of the Directions.

Registered Mining Surveyors are encouraged to create additional attributes that will assist in the preparation and supply of the Hard Copy and in support of safe mining operations.

Table 9.1
Theme Attribute Names and Definitions

Attribute Name	Description	Database Format	Max Length	Input Value	Example	Options List
Caution	Warning on use of theme	Character	254	Compulsory and must be in the form described in the options list.	This theme should not be read in isolation. It is one of many digital themes. The Mine Workings Plan is the true record of the mine workings.	
Chart_date	Date the feature was inserted into the theme	Character	10	Chartor determined	30/11/2005	
Chartor	Person inserting the feature into the theme	Character	50	Chartor determined	Joe Bloggs	
Descript	Description of feature and/or theme.	Character	100	Chartor determined		
Endorse	Feature status	Character	254	Chartor determined		
Height	Height (AHD)	Character	20	Chartor determined	123.123	
Horizon_Name	Name of Underground Mining horizon	Character	20	Chartor determined	Level 980	
Minimum_RL	Minimum RL (AHD) on underground level	Character	50	Chartor determined	100	
Maximum_RL	Maximum RL (AHD) on underground level	Character	50	Chartor determined	120	
Mine_name	Name of the operation relating to the MWP	Character	50	Chartor determined	Acme Colliery	
MWP_No	(MWP Catalogue Number)	Character	10	Chartor determined	MWP123	

Attribute Name	Description	Database Format	Max Length	Input Value	Example	Options List
Provider	Registered Mining Surveyor signing the CD-R	Character	50	Provider determined		
Source	Feature status	Character	50	Select from Options List		Mine survey, Other survey, Digitised, CAD drawn, Calculated, Coordinate entry, Mine records, Department records, Mining lease, Planning Approval, Mining Approval, other
Status	Feature status	Character	50	Select from Options List		Working, Discontinued, Abandoned, Current, Final, Destroyed, In progress, Temporary, Sealed, Open, Adopted by mine, Adopted by DPI,MR, Flooded, Indicated, Inferred
Theme_name	Name of theme	Character	50	Provider determined		
Work_Start	Date when workings first commenced in this horizon	Character	10	Charator determined	30/11/2005	
Work_Finish	Date when workings completed in this horizon	Character	10	Charator determined	30/11/2005	

Table 9.2
Theme Attribute Allocation and Feature Type

Theme Name	Underground or Open Cut	Description	Feature Type	Minimum Attributes
Mine Workings Outline	Underground and Open Cut	Extent of workings at each level of an underground mine	Polygon	Mine Name, MWP Number, Chart Date, Source, Endorse, Chartor, Descript, Theme Name, Caution, Provider, Level Name, Minimum RL, Maximum RL, Work Start, Work Finish, Status
Void Contours	Open Cut	Extent of the Open Cut void depicted by contours	Line	Mine Name, MWP Number, Chart Date, Source, Endorse, Chartor, Descript, Theme Name, Caution, Provider, Height, Status.
Void Breaklines	Open Cut	Breaklines of the Open Cut void depicting edge of void, ramp edges, tops and toes etc	Line	Mine Name, MWP Number, Chart Date, Source, Endorse, Chartor, Descript, Theme Name, Caution, Provider, Height, Status.

Table 9.3
File Naming Convention

Theme name	Filename definition	Example
Mine Workings Outline	extents_ <i>[MWPnumber]</i> _ <i>[Chart_date]</i>	extents_MWP701_Dec2008 (Mine Workings Outline theme for MWP701 charted December 2008)
Void Contours	void_cont_ <i>[MWP number]</i> _ <i>[Chart_date]</i>	Void_cont_MWP701_Dec2008 (Void Contours theme for MWP701 charted December 2008)
Void Breaklines	void_break_ <i>[MWP number]</i> _ <i>[Chart_date]</i>	Void_break_MWP701_Dec2008 (Void Breaklines theme for MWP701 charted December 2008)

Table 9.4
Metadata Statement

Category	Element	Definition
Theme	Theme name (user input)	Theme file name. (user input)
Features	Feature Type	Point, line or closed polygon. (user input)
Department Reference	MWP Catalogue Number	Mine Workings Plan catalogue number. (user input)
Custodian	Mine Operator	Corporation or individual person that operates the mine. (user input)
	Mine Name and Address	The name and postal address of the mine. (user input)
Description	Abstract	Brief summary description of the content of the theme. (user input)
Data Currency	Date of First Version	When the theme was first created. (user input)
	Date of this Version	Date of this version of the theme. (user input)
Theme Status	Progress	The status of the process of theme creation. (user input)
	Maintenance and update frequency	Frequency of changes or additions made to the theme. (user input)
Access	Stored data format	The format in which the theme is stored by the Mine Surveyor. (user input)
	Available format type	The format in which the theme is available. (user input)

Category	Element	Definition
Access (cont'd)	Access constraints	Restrictions or legal prerequisites that may apply to the access and use of the theme including licensing, liability, and copyright. (user input)
	Lineage	A brief history of the source or production the theme. (user input)
Data Quality	Accuracy Statement	A brief assessment of the closeness of the location of objects in the theme in relation to their true position on the Earth.
	Accuracy Attribute	A ranking that best determines the positional accuracy for a particular feature in the theme. 1: Error ellipse no greater than 100mm 2: 100mm - 500mm 3: 500mm - 2m 4: 2m - 10m 5: Greater than 10m
	Logical Consistency	A brief description of the degree of adherence of logical rules of data structure, attribution, and relationships. (user input)
	Completeness	An assessment of the extent and range in regard to completeness of coverage, attributions and verification. (user input)
	Attributes (All)	Attributes attached to each feature object in the theme.
	Caution	Warning as to use of the theme.
	Chart_date	The date the feature object was recorded on the Mine Workings Plan.
	Chartor	Person recording feature object onto the Mine Workings Plan.
	Descript	Description of feature object.

Category	Element	Definition
	Endorse	Reference to a field book or other appropriate notation
	Height	Height (AHD) of feature.
	Horizon Name	Name of the underground horizon.
	Minimum_RL	Minimum RL of the underground horizon.
	Maximum_RL	Maximum RL of the underground horizon.
	Mine_name	Name of the colliery relating to the Mine Workings Plan.
	MWP_No	Department Catalogue Number of the Mine Workings Plan.
	Provider	Surveyor providing the theme to the Department.
	Source	Where the feature object was sourced from.
	Status	The status of the feature object in the Mine Workings Plan. Where the feature object was sourced from.
	Theme_name	The name of the theme.
	Work_start	The date work commenced in an underground horizon.
	Work_finish	The date work ceased in an underground horizon
Miscellaneous	No. of features:	Number of individual features, for example, 500 boreholes
	Source Pathname:	Data location. This not required for submission but may support internal data management.
	Application Environment:	Development environment.
Projection:	Name :	Map Grid Australia (MGA 94)

Category	Element	Definition
	Zone: Units : Datum: Ellipsoid:	MGA [zone] (user input) Metres Geocentric Datum of Australia 1994 (GDA94) GRS80
Metadata date	Metadata date	Date on which the metadata record was created or modified. (user input)

PRIVATE ADVERTISEMENTS

COUNCIL NOTICES

BLACKTOWN CITY COUNCIL

Section 10, Roads Act 1993

Dedication of Land as a Public Road

NOTICE is hereby given that in accordance with section 10 of the Roads Act 1993, the land described in the Schedule below is dedicated to the public as road. R. MOORE, General Manager, Blacktown City Council, PO Box 63, Blacktown NSW 2148.

SCHEDULE

Lot 7, DP 218374, Great Western Highway, Mount Druitt. [4863]

BLACKTOWN CITY COUNCIL

Local Government Act 1993

Land Acquisition (Just Terms Compensation) Act 1991

Notice of Compulsory Acquisition of Land

BLACKTOWN CITY COUNCIL declares with the approval of Her Excellency the Governor, that the land described in the Schedule below, excluding any mines or deposits of minerals in the land, is acquired by compulsory process in accordance with the provisions of the Land Acquisition (Just Terms Compensation) Act 1991, for the purposes of public recreation and open space. Dated at Blacktown, this 28 September 2009. RON MOORE, General Manager, Blacktown City Council, PO Box 63, Blacktown NSW 2148.

SCHEDULE

Lot 332, DP 1097663. [4864]

COWRA SHIRE COUNCIL

Section 162, Roads Act 1993

NOTICE is hereby given that Cowra Shire Council, in pursuance of section 162 of the Roads Act 1993, has named the following roads:

<i>Location</i>	<i>New Road Name</i>
New road in Chardonnay Hills Estate extending northward from its intersection with Pridham Street, Cowra.	Vineyard Drive.
New road in Chardonnay Hills Estate extending westward from its intersection with Vineyard Drive, Cowra.	Hillside Terrace.
New road in Chardonnay Hills Estate extending northward from its intersection with Burgundy Street, Cowra.	Pinot Street.
New road in Chardonnay Hills Estate extending eastward from its intersection with Vineyard Drive, Cowra.	Burgundy Street.

Location

New road in Chardonnay Hills Estate extending in an east-west direction and located between Vineyard Drive and Pinot Street, Cowra.

New road in Chardonnay Hills Estate extending in an east-west direction and located between Vineyard Drive and Pinot Street, Cowra.

New road in Chardonnay Hills Estate intersecting with Burgundy Street, Cowra.

New Road Name

Shiraz Street.

Hermitage Street.

Harvest Circuit.

Authorised by resolution of Council on 28 September 2009. PAUL DEVERY, General Manager, Cowra Shire Council, Private Bag 342, Cowra NSW 2794. [4865]

EUROBODALLA SHIRE COUNCIL

Roads Act 1993

Naming of Road

NOTICE is hereby given that Eurobodalla Shire Council, in pursuance of section 162 of the Roads Act 1993, has renamed the following road:

<i>Present Name/Location</i>	<i>Name</i>
Bunderra Court, a cul-de-sac at the south western end of Bunderra Circuit.	Bunderra Circuit.

P. ANDERSON, General Manager, Eurobodalla Shire Council, PO Box 99, Moruya NSW 2537. [4866]

ORANGE CITY COUNCIL

Roads Act 1993

Making of road widening order

NOTICE is hereby given pursuant to section 25 of the Roads Acts 1993, that the land described in the Schedule below is acquired for the purpose of road widening. GARRY STYLES, General Manager, Orange City Council, PO Box 35, Orange NSW 2800.

SCHEDULE

Part Lot 193, DP 750401, Parish of Orange, County of Bathurst. [4867]

PENRITH CITY COUNCIL

PURSUANT to Clause 9 of the Roads (General) Regulation 2000, notice is hereby given of the naming of the following road/s:

<i>Name</i>	<i>Location</i>
Doral Grove	Luddenham
Crystal Downs Close	Luddenham
Pine Valley Crescent	Luddenham
Bode Place	St Clair
Grady Crescent	Erskine Park

For further information please contact Mr Eric Hausfeld, Development Engineering Coordinator, Penrith City Council on (02) 4732 7777. [4868]

PORT MACQUARIE-HASTINGS COUNCIL

Roads Act 1993
Roads Regulation 2008
Naming of Public Roads

NOTICE is hereby given that Port Macquarie-Hastings Council pursuant to section 162 of the Roads Act 1993 and section 9 of the Roads Regulation 2008, has named the roads described in the Schedule below. ANDREW ROACH, General Manager, Port Macquarie-Hastings Council, corner Lord and Burrawan Streets, Port Macquarie NSW 2444.

SCHEDULE

<i>Road Description and Location</i>	<i>Name</i>
Un-named laneway within the block bounded by Seymour Street, Lake Street, Tunis Street and McMennan Street at Laurieton.	De Fraine Lane.
Un-named road running off Eastern Boundary Road through Portion 116, Parish Cogo at Rollands Plains.	Waterhole Road.

[4869]

THE CITY OF SYDNEY COUNCIL

Roads (General) Regulation 2000
Naming of Public Road

NOTICE is hereby given that the City of Sydney Council, in pursuance of the Roads (General) Regulation, 2000, has named the laneway off King Street, at the rear of 163-175 Clarence Street, Sydney as "Skittle Lane". Authorised by Resolution of Council on 3 August 2009. MONICA BARONE, Chief Executive Officer, City of Sydney Council, Town Hall House, 456 Kent Street, Sydney NSW 2000.

[4870]

WOLLONDILLY SHIRE COUNCIL

Tree Preservation Order

WOLLONDILLY SHIRE COUNCIL, in accordance with Clause 27 of the Wollondilly Local Environmental Plan 1991, gives notice of a new Tree Preservation Order. The Tree Preservation Order was adopted by Council's resolution of 15 December 2008 and may be viewed at Council's Administration Building, 62-64 Menangle Street, Picton or on Council's website at www.wollondilly.nsw.gov.au. LES McMAHON, General Manager, Wollondilly Shire Council, PO Box 21, Picton NSW 2571.

[4871]

ESTATE NOTICES

NOTICE of intended distribution of estate.—Any person having any claim upon the estate of LILLIAN HUME AUSTIN, late of Concord West, in the State of New South Wales, retired, who died on 27 July 2009, must send particulars of his/her claim to the executors, Barry Ross Austin and Neil Graham Austin, c.o. Fordham Lawyers, Solicitors, Highbury, 12 Station Street, West Ryde NSW 2114, within one (1) calendar month from publication of this notice. After that time the executors may distribute the assets of the estate having regard only to the claims of which at the time of distribution the executors have notice. Probate was granted in New South Wales on 24 September 2009. FORDHAM LAWYERS, Solicitors, Highbury, 12

Station Street, West Ryde NSW 2114 (PO Box 107, West Ryde NSW 1685), (DX 27551, West Ryde), tel.: (02) 9858 1533. Reference: JSF.CT.F9056. [4872]

NOTICE of intended distribution of estate.—Any person having any claim upon the estate of WINIFRED McCORQUODALE THOMSON, late of Hornsby, in the State of New South Wales, widow, who died on 29 June 2009, must send particulars of the claim to the executors, Deborah Helen Marshall and Donald Ross Thomson, c.o. Mervyn Finlay, Thorburn & Marshall, Solicitors, Level 2, 225 Macquarie Street, Sydney NSW 2000, within one (1) calendar month from publication of this notice. After that time the assets of the estate and the property may be conveyed and distributed having regard only to the claims of which at the time of conveyance or distribution the executors have notice. Probate was granted in New South Wales on 18 September 2009. MERVYN FINLAY, THORBURN & MARSHALL, Solicitors, Level 2, 225 Macquarie Street, Sydney NSW 2000, tel.: (02) 9223 6544. Reference: DLT:8909. [4873]

NOTICE of intended distribution of estate.—Any person having any claim upon the estate of BERYL JEAN FORDHAM, late of Pennant Hills, in the State of New South Wales, home duties, who died on 12 May 2009, must send particulars of his/her claim to the executors, Phillip Allen Fordham and Leslie Arthur Fordham, c.o. Fordham Lawyers, Solicitors, Highbury, 12 Station Street, West Ryde NSW 2114, within one (1) calendar month from publication of this notice. After that time the executors may distribute the assets of the estate having regard only to the claims of which at the time of distribution the executors have notice. Probate was granted in New South Wales on 21 September 2009. JOHN S. FORDHAM, Solicitor, 12 Station Street, West Ryde NSW 2114 (PO Box 107, West Ryde NSW 1685) (DX 27551, West Ryde), tel.: (02) 9858 1533. Reference: JSF.CT.09109. [4874]

NOTICE of intended distribution of estate.—Any person having any claim upon the estate of MARY DORIS ROTHERHAM, late of Waitara, in the State of New South Wales, Seamstress, who died on 11 July 2009, must send particulars of his/her claim to the executors, Frank William Rotherham and Alan Charles Rotherham, c.o. Fordham Lawyers, Solicitors, Highbury, 12 Station Street, West Ryde NSW 2114, within one (1) calendar month from publication of this notice. After that time the executors may distribute the assets of the estate having regard only to the claims of which at the time of distribution the executors have notice. Probate was granted in New South Wales on 24 September 2009. JOHN S. FORDHAM, Solicitor, 12 Station Street, West Ryde NSW 2114 (PO Box 107, West Ryde NSW 1685) (DX 27551, West Ryde), tel.: (02) 9858 1533. Reference: JSF.CT.F9031. [4875]

NOTICE of intended distribution of estate.—Any person having any claim upon the estate of PHYLLIS MAY HILL, late of 2/144 Hall Street, Bondi Beach 2026, in the State of New South Wales, widow, who died on 9th May 2009, must send particulars of his claim to the executor, John Francis Hill, c.o. Steve Masselos & Co., Solicitors, PO Box A988, Sydney South NSW 1235, within one (1) calendar month from the publication of this notice. After that time the executor may distribute the assets of the estate having regard

only to the claims of which at the time of distribution he has notice. Probate was granted in New South Wales on 14th August 2009, as number 110447/09. STEVE MASSELOS & CO., A Solicitor Corporation, 2nd Floor, 114-120 Castlereagh Street, Sydney NSW 2000 (PO Box A988, Sydney South 1235), (DX 305, Sydney), tel.: (02) 9264 7022. [4876]

NOTICE of intended distribution of estate.—Any person having any claim upon the estate of ANNE MARJORY CRAVEN also known as ANNIE CRAVEN, late of Hurstville, in the State of New South Wales, widow, who died on 29 May 2009, must send particulars of the claim to the estate solicitors, Mervyn Finlay, Thorburn & Marshall, Solicitors, Level 2, 225 Macquarie Street, Sydney NSW 2000, within one (1) calendar month from publication of this notice. After that time the assets of the estate and the property may be conveyed and distributed having regard only to the claims of which at the time of conveyance or distribution the executor has notice. Probate was granted in New South Wales on 30 September 2009. MERVYN FINLAY, THORBURN & MARSHALL, Solicitors, Level 2, 225 Macquarie Street, Sydney NSW 2000, tel.: (02) 9223 6544. Reference: DLT:9909. [4877]

NOTICE of members' voluntary liquidation.—NETMOR PTY LIMITED, ACN 001 249 609.—Notice of Special Resolution. At a General Meeting of Members of Netmor Pty Limited, duly convened and held at 8th Floor, 10 Spring Street, Sydney on 21st September 2009, the special resolution set out below was duly passed: "That the company be wound up voluntarily and that Mr Ronald George Goss of 8th Floor, 10 Spring Street, Sydney be appointed liquidator for the purposes of such winding up." Dated this 21st day of September 2009. RONALD GEORGE GOSS, C.A., Liquidator, c.o. Goss & Clarke, Chartered Accountants, 8th Floor, 10 Spring Street, Sydney, NSW 2000, tel.: (02) 9221 7566. [4879]

COMPANY NOTICES

NOTICE of final general meeting.—DYART PTY LIMITED, ACN 001 414 044 (in voluntary liquidation).—Notice is hereby given pursuant to section 509 of the Corporations Act 2001, that a final general meeting of the abovenamed company will be held at 2/131 Clarence Street, Sydney, NSW, on 17 November 2009 at 10:00 a.m., for the purpose of having laid before it by the liquidator an account showing how the winding up has been conducted and the manner in which the assets of the company have been distributed and a hearing of an explanation of the account by the liquidator and to authorize the Liquidator to destroy all books and records of the Company on completion of all duties. Dated 9 October 2009. F. MACDONALD, Liquidator, c.o. K. B. Raymond & Co., Level 2, 131 Clarence Street, Sydney NSW 2000 (GPO Box 4684, Sydney NSW 2001), tel.: (02) 9299 6521. [4878]

ISSN 0155-6320

Authorised to be printed
DENIS H. HELM, Government Printer.