



Government Gazette

of the State of

New South Wales

Number 441 - Other

Friday, 24 October 2025

The New South Wales Government Gazette is the permanent public record of official NSW Government notices. It can also contain local council, non-government and other notices.

Each notice in the Government Gazette has a unique reference number that appears in parentheses at the end of each page of the notice and can be used as a reference for that notice. For example, [NSWGG-2024-10-1].

The Gazette is compiled by the Parliamentary Counsel's Office and published on the NSW Government Gazette website (www.gazette.nsw.gov.au) under the authority of the NSW Government. The website contains a permanent archive of past Gazettes.

To submit a notice for gazettal, visit the website.



**Fair
Trading**

CO-OPERATIVES NATIONAL LAW (NSW)

Section 601AB(3) of the Corporations Act 2001 as applied by
section 453 of the Co-operatives National Law (NSW)

NOTICE OF PROPOSED DEREGISTRATION - REGISTRAR INITIATED UNDER SECTION 601AB

CO-OPERATIVE DETAILS

Co-operative: Greater Sydney Innovation Co-operative Ltd
Co-operative Number: NSWC20001

NOTICE

The Registrar proposes to de-register the Co-operative under section 601AB of the *Corporations Act 2001* as applied by section 453 of the *Co-operatives National Law (NSW)*

The Registrar may de-register the Co-operative when two months have passed since publication of this Notice in the NSW Government Gazette.

Dated this 17th day of October 2025 at Bathurst

Marina Melnikoff
Manager, Customer and Community Operations
Delegate of the Registrar of Co-operatives

GEOGRAPHICAL NAMES ACT 1966

PURSUANT to the provisions of Section 10 of the *Geographical Names Act 1966*, the Geographical Names Board has this day assigned the name listed hereunder as a geographical name.

Motorsport Volunteers Park for a reserve on the corner of Civic Way and Madden Street, Oran Park, Camden Local Government Area.

The position and extent for this feature is recorded and shown within the Geographical Names Register of New South Wales. This information can be accessed through the Board's website at www.nsw.gov.au.

THOMAS GRINTER
Chair

Geographical Names Board
346 Panorama Ave
BATHURST NSW 2795



Fair
Trading

CO-OPERATIVES NATIONAL LAW (NSW)

Section 601AB(3) of the Corporations Act 2001 as applied by
section 453 of the Co-operatives National Law (NSW)

NOTICE OF PROPOSED DEREGISTRATION - REGISTRAR INITIATED UNDER SECTION 601AB

CO-OPERATIVE DETAILS

Co-operative: Mustard Seed Farms Co-op Limited

Co-operative Number: NSWC20009

NOTICE

The Registrar proposes to de-register the Co-operative under section 601AB of the *Corporations Act 2001* as applied by section 453 of the *Co-operatives National Law (NSW)*

The Registrar may de-register the Co-operative when two months have passed since publication of this Notice in the NSW Government Gazette.

Dated this 20th day of October 2025 at Bathurst

Marina Melnikoff
Manager, Customer and Community Operations
Delegate of the Registrar of Co-operatives

ASSOCIATIONS INCORPORATION ACT 2009

Cancellation of Registration pursuant to Section 76

TAKE NOTICE that the registration of the following associations is cancelled by this notice pursuant to section 76 of the Associations Incorporation Act 2009.

COMPUTER PALS FOR SENIORS - EPPING INCORPORATED	INC9874405
FOCAS OAK FLATS INCORPORATED	INC1700866
FUTURE MOVEMENT AUSTRALIA - NSW INCORPORATED	INC1701418
GRUPO CAPOEIRAS INCORPORATED	INC1801443
MOORLAND COMMUNITY ASSOCIATION INCORPORATED	INC9890829
WATERLOO RESIDENTS MARKETS AND GARDENS INCORPORATED	INC1700635
WENTWORTH POINT NEIGHBOURHOOD ASSOCIATION INCORPORATED	INC2200496

Cancellation is effective as at the date of gazettal.

Dated this 22nd day of October 2025.

Megan Green
Delegate of the Commissioner
NSW Fair Trading

ASSOCIATIONS INCORPORATION ACT 2009

Cancellation of Registration pursuant to Section 74

TAKE NOTICE that the registration of the following associations is cancelled by this notice pursuant to section 74 of the Associations Incorporation Act 2009.

LIFE STORIES AUSTRALIA INC	INC1700896
NORTHMEAD BOWLING CLUB INCORPORATED	INC2500143
SAPPHIRE SPEED SHEAR INCORPORATED	INC2500521
SYDNEY TOUCH FOOTBALL INC	INC9896478
THE INNER WHEEL CLUB OF GRAFTON INCORPORATED	Y2330939
THE LIGHTHOUSE COMMUNITY INCORPORATED	INC9877718
WENTWORTH RURAL WOMEN'S GATHERING INCORPORATED	INC9891122

Cancellation is effective as at the date of gazettal.

Dated this 22nd day of October 2025.

Megan Green
Delegate of the Commissioner

NSW Fair Trading

Gas and Electricity (Consumer Safety) Act 2017

Order under section 12

I, Matt Press, Executive Director, Building Operations, Building Commission NSW, Department of Customer Service as delegate under the Gas and Electricity (Consumer Safety) Act 2017 (the Act):

- (1) revoke, on and from the date on which this Order is published in the *New South Wales Government Gazette*, the Order dated 2 September 2024, published in the *New South Wales Government Gazette* of 6 September 2024 No 347 at page 8; and
- (2) pursuant to sections 12(2) and 12(3) of the *Gas and Electricity (Consumer Safety) Act 2017* by this Order, declare the electrical articles of a class described in Schedule 1 to be, on and from the date on which this Order is published in the *New South Wales Government Gazette*, declared electrical articles for the purposes of Part 2 of the *Gas and Electricity (Consumer Safety) Act 2017* and the specifications, including modifications, specified in Schedule 1 to be those applicable to electrical articles of that class.

Date: 17/10/2025



Matt Press
Executive Director
Building Operations
Building Commission NSW
Department of Customer Service

Attachments

- Schedule 1

Schedule 1

Declared Electrical Articles

NOTE: See also NSW Government Gazette No 203 published 23 May 2025, for E-Micromobility devices and their batteries. Website: www.gazette.nsw.gov.au

Interpretation:

Where a Class Specification references a part two to AS/NZS 60335 then AS/NZS 60335.1 shall be used in conjunction with this part two and forms part of the Class specification.

In this schedule a reference to:-

AS/NZS 60335.1 means AS/NZS 60335.1: 2020 +A1-2; or AS/NZS 60335.1: 2022 +A1

AS/NZS 3100 means AS/NZS 3100: 2022 +A1 (until 28 Nov 2026) or AS/NZS 3100: 2022 +A1-2

AS/NZS 60745.1 means AS/NZS 60745.1: 2009 +A1 or AS/NZS 60745.1: 2003 +A1-3
The 2009 edition will supersede AS/NZS 60745.1: 2003 and its amendments after all of the Parts 2 of that standard have been superseded

AS/NZS 60598.1 means AS/NZS 60598.1: 2017 +A1-2 (until 14 March 2028) or AS/NZS 60598.1:2025

AS/NZS 61347.1 means AS/NZS 61347.1: 2016 +A1-2

AS/NZS 61535 means AS/NZS 61535: 2011

AS/NZS 61558.1 means AS/NZS 61558.1: 2008 +A1-3 or AS/NZS 61558.1: 2018 +A1-2

AS/NZS 62841.1 means AS/NZS 62841.1: 2015 +A1-2

“LED” means “Light Emitting Diode”

“Simple Portable Luminaire” is as defined in Appendix ZZ of AS 60598.2.4:2019

“Supply to separate equipment” / “supply to separate luminaires” means the equipment or luminaire is not permanently connected and disconnection would not mean the destruction of the connection (e.g. by being in the same enclosure or by having a type Z connection)

“Household type” means designed or marketed as suitable for household, personal or similar use and is immaterial whether the equipment is also designed or marketed for commercial, industrial or medical purposes.

AS/NZS 60335.2.41 is modified to allow a xenon arc test in accordance with ISO 4892-2 or a fluorescent UV test in accordance with ISO 4892-3 as alternatives to ISO 4892-4 for the testing of UV resistant labels

1. APPLIANCE CONNECTOR

An electrical device that –

- (a) is for attachment to a flexible cord; and
- (b) makes a detachable connection between the conductors of the cord and the pins or contacts of any low voltage appliance or equipment of a type intended or generally used for household applications;

but does not include –

- (c) a connector within the scope of AS/NZS 3123; or
- (d) a plug or socket-outlet within the scope of AS/NZS 3131; or
- (e) an installation coupler within the scope of AS/NZS 61535.1
- (f) any associated Group 2 Appliance Connectors for connection to a specific electric blanket

Class specification:

Appliance connector –
AS/NZS 60320.1: 2023

Plug connector –
AS/NZS 60320.1: 2023, or AS/NZS 60320.2.2: 2004

Sewing machine connector –
AS/NZS 60320.2.1: 2004

Standard Sheets as appropriate –
IEC 60320.2.2, IEC 60320.1 or
AS/NZS 60320.3:2023

Note: Group 2 Appliance Connectors for connection to a specific electric blanket are captured by the specification of BLANKET

2. AIR CONDITIONER INCORPORATING FLAMMABLE REFRIGERANT

An electrical appliance that –

- (a) is a household type; and
- (b) incorporates motor compressors; and
- (c) is an electrical appliance designed to provide delivery of conditioned air to an enclosed space, room or zone; and
- (d) includes a refrigeration system for cooling, heating or dehumidifying the air, including hydronic room fan coil type systems; and
- (e) is portable, transportable or fixed; and
- (f) uses refrigerant having a flammability classification of Class 2 or Class 3 but not Class 2L in accordance with ISO 817. For refrigerant blends that have more than one flammability classification, the most unfavourable classification is taken.

Class specification:

AS/NZS 60335.2.40: 2019 (until 30 June 2026); or AS/NZS 60335.2.40: 2023

3. ARC WELDING MACHINE

An electrical appliance that –

- (a) is for use in the electric arc welding process;
- (b) is for connection to single phase low voltage supply;
- (c) is fitted with a flexible cord and plug rated at not more than 16 A;
- (d) can easily be moved from one place to another while it is connected to supply; and
- (e) has, for GMAW (gas metal arc welding), GTAW (gas tungsten arc welding), and FCAW (flux cored arc welding) machines, a 100% output rating not exceeding 65 A.

The 100% rating is calculated from the square root of the marked duty cycle expressed in decimal form multiplied by the marked output current associated with the duty cycle in amperes;

but does not include –

- (f) an ARC WELDING MACHINE promoted exclusively to industry
- (g) a plasma cutter

Class specification:

AS 60974.1: 2020; or
IEC 60974-6: 2015 plus Clause 30.2 of AS/NZS 60335.1

Note: Clause 30.2 of AS/NZS 60335.1 is only relevant for non-metallic enclosures

4. BAYONET LAMPHOLDER

An electrical device that –

- (a) accommodates a lamp with a bayonet cap of 15 mm or 22 mm nominal diameter;

but does not include –

- (b) a lampholder which by design is restricted to specific appliances; or
- (c) a lampholder which is for incorporation in industrial equipment only.

Class specification:

AS 61184: 2022 +A1; or
AS/NZS 3100 and AS/NZS 3117: 2015 +A1

5. BAYONET LAMPHOLDER ADAPTOR

An electrical device that –

- (a) is for insertion into a B22 bayonet lampholder, or (from 1 September 2027) any type of Bayonet lampholder; and
- (b) is for connection to a flexible cord; or
- (c) has one or more lampholders.

Class specification:

AS/NZS 3100 and AS/NZS 3119: 2015

6. BLANKET

An electrical appliance that –

- (a) is for the application of heat to a bed or human body;
- (b) is flexible;
- (c) has a fabric enclosure; and
- (d) has a projected surface area exceeding 0.6 square metres;

and includes -

- (e) any associated power supply or controller.
- (f) any associated Group 2 APPLIANCE CONNECTORS specific for the blanket

but does not include:-

- (g) appliances specifically intended for use under direct medical supervision.

Class specification:

AS/NZS 60335.2.17: 2012 +A1-2 (until 1 December 2026); or AS/NZS 60335.2.17: 2023

7. BREAD TOASTER – PORTABLE TYPE

An electrical appliance that –

- (a) is a household type;
- (b) is for toasting bread or similar foods; and
- (c) is portable.

Class specification:

AS/NZS 60335.2.9: 2020

8. BUILDING WIRING CABLE

A single or multicore electric cable insulated with polymeric materials that –

- (a) has one to five conductors of stranded or solid cores of copper conductors; and
- (b) has an insulated and laid up flat or circular configuration; and
- (c) is sheathed or unsheathed; and
- (d) has active phase conductors with a nominal cross-sectional area 0.5mm² to 16mm²; and
- (e) has an insulation designation of V-75, V-90, V-90HT or X-90; and
- (f) is intended for use in electrical installations at working voltages up to:-
 - (i) 450/750V; or
 - (ii) 0.6/1 (1.2) kV

but does not include the following exempt types –

- (g) armoured, metallic screened and metal sheathed cables;
- (h) halogen free cables;
- (i) cables with a Fire Rating;
- (j) Supply Flexible Cords;
- (k) cables where the insulation of the conductors are not individually coloured;
- (l) cables with a conductor flexibility of Class 5 or greater according to AS/NZS 1125;
- (m) cables not captured by the scope of AS/NZS 5000.1 or AS/NZS 5000.2.

Class specification:-

For working voltages up to 450/750V - AS/NZS 5000.2: 2006; or
For working voltages up to 0.6/1 (1.2) kV - AS/NZS 5000.1: 2005 +A1

Note: A Supply Flexible Cord is captured by the definition of ‘Supply Flexible Cord’ elsewhere in this schedule.

Note: Cables where the insulation of the conductors are not individually coloured are usually considered control cables for specialised purposes.

Note: Cables that have a conductor flexibility of Class 5 according to AS/NZS 1125 are commonly known as Flexible Cable.

Note: Cables used for Extra Low Voltage cables are excluded by the Act by being outside the definition of electrical installation.

Note: The scopes of AS/NZS 5000.1 and AS/NZS 5000.2 do not apply to polymeric insulated cables for special installations and service conditions or for which there are separate Australian/New Zealand Standards.

9. CLOTHES DRYER

An electrical appliance that –

- (a) is a household type; and
- (b) is for drying textile material using electrical energy.

but does not include –

- (c) a heated towel rail; or
- (d) a gas appliance having electrical connections.

Class specification:

Rotary type –

AS/NZS 60335.2.11: 2020 (until 29 November 2027); or AS/NZS 60335.2.11:2024

Cabinet type –

AZ/NZS 60335.2.43: 2018 (until 29 November 2026); or AS/NZS 60335.2.43: 2018 +A1

High Speed Spin Extractor –

AS/NZS 60335.2.4: 2021 (until 29 November 2027); or AS/NZS 60335.2.4: 2024

10. CONTROL OR CONDITIONING DEVICE

An electrical device that –

- (a) is a household type;
- (b) is for automatically controlling or conditioning the electrical input to electrical apparatus via outlet facilities of the control or conditioning device;
- (c) is portable, (including devices connected to supply by integral pins for engagement with a socket-outlet);
- (d) is self-contained; and
- (e) connects to supply by means of a flexible cord and plug, appliance inlet or pins for engagement with a socket-outlet.

Class specification:

AS/NZS 3100 and 3105: 2014 +A1

11. COOKING APPLIANCE – PORTABLE TYPE

An electrical appliance that –

- (a) is a household type;
- (b) is for cooking or warming food by electrical energy; and
- (c) is portable.

Class specification:

Griller, roaster, or oven (including breadmaker)-

AS/NZS 60335.2.9: 2020

Warming plate and similar-

AS/NZS 60335.2.12: 2018 (until 27 June 2028); or AS/NZS 60335.2.12: 2025

Frying pan, deep fryer or wok-

AS/NZS 60335.2.13: 2022

Outdoor Barbecue

AS/NZS 60335.2.78: 2022

12. CORD EXTENSION SOCKET

An electrical device that –

- (a) is for attachment to a flexible cord;
- (b) has a maximum rating of 20 A at low voltage; and
- (c) has contacts whereby a detachable connection may be made with the corresponding pins of a plug or an inlet;

but does not include -

- (d) a connector or appliance connector designated in AS/NZS 3123; or
- (e) a socket outlet designated in AS/NZS 3131; or
- (f) an installation coupler designated in AS/NZS 61535.1

Class specification:

AS/NZS 3120: 2021 +A1

13. CORD-LINE SWITCH

An electrical device that –

- (a) is for attachment in a flexible cord;
- (b) manually opens and closes an electrical circuit; and
- (c) has a rating not exceeding 16 A at low voltage;

but does not include –

- (d) bell push and pendant switches.

Class specification:

Air-break type –

AS/NZS 3100 and AS/NZS 3127: 2005

Electronic type –

AS/NZS 3100 and AS/NZS 3127: 2005, with AS/NZS 3127: 2005 Clause 12.1 modified to replace all references to AS/NZS 3133 with AS/NZS 60669.2.1

14. DC ISOLATOR

An electrical device that –

- (a) is an air-break DC rated isolator; and
- (b) has a rated operational current not exceeding 50A; and
- (c) has a utilization category DC-PV2; and
- (d) is for connection to the wiring of a photovoltaic (PV) electrical installation (including within Power Conditioning Equipment), other renewable energy installation, or energy storage installation; and includes
- (e) the dedicated individual enclosure (if any), where the DC isolator is classified as enclosed outdoor.

NOTE: A ‘dedicated individual enclosure’ includes a single dc isolator in an enclosure or multiple DC isolators in a common enclosure, but does not include the enclosure where the DC isolator is to be installed integral within a Power Conditioning Equipment (PCE) enclosure or is to be installed in an enclosure that complies with a relevant standard for assemblies for use in photovoltaic networks.

NOTE: An example of Power Conditioning Equipment (PCE) is an inverter

Class specification:

AS 60947.3: 2018 (until 03 November 2025); or AS 60947.3: 2023

15. DECORATIVE LIGHTING OUTFIT

An electrical appliance that –

- (a) is for decorative, display or illumination purposes;
- (b) is portable;
- (c) consists of -

- (i) lamps (including “LED” types) or lampholders interconnected by flexible cord of less than 2.5 mm² cross-sectional area; or
 - (ii) lamps (including “LED” types) within a flexible enclosure; and
- (d) may be integral with a frame or similar support;
- and includes –
- (e) any integral power supply or control device.

Class specification:

Rope lights –
AS/NZS 60598.2.21: 2018

Other, including lighting chains and festoon lighting–
AS/NZS 60598.2.20: 2018

16. DISHWASHING MACHINE

An electrical appliance that –

- (a) is a household type; and
- (b) is for washing of eating or cooking utensils.

Class specification:

AS/NZS 60335.2.5: 2014 +A1-3

17. DOUBLE CAPPED LIGHT EMITTING SEMICONDUCTOR LAMP

An electrical appliance that –

- (a) is a tubular light emitting semiconductor light source;
- (b) is a double-capped lamp; and
- (c) has integral, built-in or independent control gear;

Class specification:

AS/NZS 60598.2.1: 2014 +A1-2 Appendix A

18. EDISON SCREW LAMPHOLDER

An electrical device that –

- (a) accommodates a lamp with an Edison screw cap of 14 mm or 27 mm nominal outside diameter;

but does not include –

- (b) a lampholder which by design is restricted to specific appliances; or
- (c) a lampholder which is for incorporation in industrial equipment only.

Class specification:

AS/NZS 3100 and AS/NZS 3140: 2014 +A1 or
AS 60238: 2022

19. EVAPORATIVE COOLER

An electrical appliance that —

- (a) is a device that cools air through evaporation of water;
- (b) incorporates a fan for moving air; and

- (c) is fixed with one or more vents.

But does not include:

- (d) An evaporative cooler that has a rated airflow greater than 3,500 L/s.

Class specification:

AS/NZS 60335.2.98: 2005 +A1-2 (R2016) (until 29 November 2027); or AS/NZS 60335.2.98: 2024

20. FAN

An electrical appliance that –

- (a) is a household type;
- (b) has a primary function of moving air in its vicinity for comfort or extraction purposes; and
- (c) is self-contained;

and includes –

- (d) duct fans,
- (e) any associated ancillary equipment

Class specification:

AS/NZS 60335.2.80: 2016 +A1-2 (until 1 December 2025); or AS/NZS 60335.2.80: 2016 +A1-3

21. FENCE ENERGISER

An electrical appliance that regulates and controls the supply of electrical energy to an electric fence.

Class specification:

AS/NZS 60335.2.76: 2019

22. FLEXIBLE HEATING PAD

An electrical appliance that –

- (a) is for the application of heat to parts of the human body; and
- (b) is in the form of a flexible pad (which may or may not contain a liquid); and
- (c) has a projected area not exceeding 0.6 m².

and includes -

- (d) an electric hot water bottle

but does not include -

- (e) appliances specifically intended for use under direct medical supervision.

Class specification:

Foot warmer, foot mat, electric hot water bottle:

AS/NZS 60335.2.81: 2015 +A1-3

Other:

AS/NZS 60335.2.17: 2012 +A1-2 (until 1 December 2026); or AS/NZS 60335.2.17: 2023

23. FLOOR POLISHER/SCRUBBER

An electrical appliance that –

- (a) is a household type; and

- (b) is used to polish or scrub floors.

Class specification:

AS/NZS 60335.2.10: 2006 +A1 (until 25 November 2025); or AS/NZS 60335.2.10: 2022

24. FLUORESCENT LAMP BALLAST

An electrical device that –

- (a) is for controlling the magnitude of current flowing through the discharge path of a fluorescent lamp;
- (b) is of the independent or built-in type intended for use with luminaires (portable or fixed); or
- (c) is of the integral type, rated at 60 watts or less, such that it forms a non-replaceable part of a fluorescent lamp/ballast combination; or
- (d) is of the adaptor type such that it allows the insertion of a fluorescent lamp into the ballast by the user;

and includes –

- (e) any capacitor incorporated in or supplied with the ballast;

but does not include –

- (f) a ballast which is incorporated in luminaires certified for compliance with the requirements for electrical equipment with increased safety type protection (Ex e) for use in hazardous locations.

Class specification:

Integral (self-ballasted lamp) magnetic and electronic types-
AS/NZS 60968: 2001

Other magnetic type-
AS/NZS 61347.1 and AS/NZS 61347.2.8: 2003

Other electronic type
AS/NZS 61347.1 and AS/NZS 61347.2.3: 2016

Fluorescent lamp adaptors (T8:T5)
AS/NZS 61347.1 and AS/NZS 61347.2.3: 2016 and the relevant requirements of AS/NZS 60598.2.1: 2014 +A1-2

25. FLUORESCENT LAMP STARTER

An electrical device that –

- (a) is for starting preheat type fluorescent lamps;
- (b) is a glow-start type; and
- (c) has an enclosure of insulating material.

Class specification:

AS 60155: 2018 (Section 1)

26. GLUE GUN

An electrical appliance that –

- (a) is a household type;
- (b) is hand-held; and
- (c) is for melting and applying sticks of solid adhesive;

but does not include—

- (d) a glue gun promoted exclusively to industry.

Class specification:

AS/NZS 60335.2.45: 2012

27. HAIR CARE APPLIANCE

An electrical appliance that –

- (a) is a household type or a commercial hand-held type; and
- (b) is for drying, styling or the caring of human hair.

Class specification:

AS/NZS 60335.2.23: 2017 +A1-2

28. HEDGE CLIPPER

An electrical appliance that –

- (a) is for trimming hedges; and
- (b) has one or more reciprocating blades; and
- (c) is hand-held.

Class specification:

AS/NZS 62841.4.2: 2018 +A1

29. IMMERSION HEATER

An electrical appliance that –

- (a) is a household type;
- (b) is for heating liquid in which it may be immersed; and
- (c) is self-contained;

and includes –

- (d) aquarium type immersion heaters.

Class specification:

Aquarium type-

AS/NZS 60335.2.55: 2011 (until 25 November 2025); or AS/NZS 60335.2.55: 2022

Portable (other than aquarium) type-

AS/NZS 60335.2.74: 2018 (until 25 November 2025); or AS/NZS 60335.2.74: 2022

Fixed type-

AS/NZS 60335.2.73: 2005 +A1-2 (until 29 November 2027); or AS/NZS 60335.2.73: 2024

30. INSECT ELECTROCUTOR

An electrical appliance that –

- (a) is a household type; and
- (b) kills insects by the application of electrical energy.

Class specification:

AS/NZS 60335.2.59: 2005 +A1-3 (until 25 November 2025); or AS/NZS 60335.2.59: 2022

31. INSPECTION HANDLAMP

An electrical appliance that –

- (a) is for inspection purposes using illumination;
- (b) contains an electric light source; and
- (c) is hand-held;

but does not include –

- (d) handlamps with a magnification facility.

Class specification:

AS/NZS 60598.1 and AS/NZS 60598.2.8: 2015

32. IRON

An electrical appliance that –

- (a) is a household type;
- (b) is for smoothing or pressing fabric by the application of heat or steam; and
- (c) is hand-held except for any separate steam generator.

and includes –

- (d) any associated equipment.

Class specification:

Fabric steamer –

AS/NZS 60335.2.85: 2018 (until 1 December 2026); or AS/NZS 60335.2.85: 2023

Other –

AS/NZS 60335.2.3: 2012 +A1 (until 1 December 2026); or AS/NZS 60335.2.3: 2023

33. KITCHEN MACHINE

An electrical appliance that –

- (a) is a household type;
- (b) is for the preparation of food by mechanical means; or
- (c) is for opening cans; or
- (d) is for sharpening of knives.

Class specification:

AS/NZS 60335.2.14: 2017 +A1

34. LAWN CARE APPLIANCE

An electrical appliance that –

- (a) is a household type; and
- (b) is for cutting grass or lawn.

Class specification:

Mower -

AS/NZS 62841.4.3: 2021

Trimmer

AS/NZS 62841.4.4: 2021

Grass Shears:
AS/NZS 62841.4.5: 2022

35. LIGHT EMITTING SEMICONDUCTOR LAMP (SELF-BALLASTED)

An appliance that –

- (a) incorporates a light emitting semiconductor light source; and
- (b) has any additional elements necessary for stable operation of the light source incorporated within the lamp body and permanently connected to the light source; and
- (c) has a rated voltage greater than 50 V and up to and including 250 V; and
- (d) has a rated Wattage no greater than 20W or for LED PAR types no greater than 25W; and
- (e) intended for connection to supply via means of a B15, B22, E14, E27, G9 or GU10 lamp cap for insertion into a lampholder.

but does not include—

- (f) a DOUBLE CAPPED LIGHT EMITTING SEMICONDUCTOR LAMP.

Class specification:

AS 62560: 2017 +A1-3

36. LIQUID HEATING APPLIANCE

An electrical appliance that –

- (a) is a household type;
- (b) is portable;
- (c) has a capacity not exceeding 10L; and
- (d) heats liquid for:
 - (i) humidifying room air; or
 - (ii) use in, or as, a hot beverage; or
 - (iii) cooking.

Class specification:

Humidifier-

AS/NZS 60335.2.98: 2005 +A1-2 (until 29 November 2027); or AS/NZS 60335.2.98: 2024

Other-

AS/NZS 60335.2.15: 2019

37. LUMINAIRE - PORTABLE TYPE

An electrical appliance that –

- (a) is a household type;
- (b) provides illumination or for decorative purposes, produces light;
- (c) is fitted with a supply flexible cord, an appliance inlet socket or a power supply unit with integral pins for insertion into a socket outlet;
- (d) is for standing on a table or floor, or is fitted with a clamp, spike, or similar for attachment to vertical or horizontal surfaces;
- (e) is for use with tungsten filament, tubular fluorescent or other discharge lamps or Light Emitting Diode “LED” types; and is either –
- (f) constructed to represent a model, person or animal and by its design and materials is likely to be treated by a child as a toy; or
- (g) has metal parts which are required to be earthed or double insulated from live parts (excluding live parts of an all insulated lampholder)

but does not include –

- (h) a *Simple Portable Luminaire*

Class specification:

Child appealing type (refer to clause (f))-
AS/NZS 60598.1 and AS/NZS 60598.2.10: 2015

Type for Garden Use –
AS/NZS 60598.1 and AS 60598.2.4: 2019 +A1;

Type fitted with a built-in transformer or convertor –
AS/NZS 60598.2.6

Other-
AS/NZS 60598.1 and AS 60598.2.4: 2019 +A1

38. MESSAGE APPLIANCE

An electrical appliance that –

- (a) is a household type;
- (b) is for massaging the human body;
- (c) is portable; and
- (d) is self-contained.

Class specification:

AS/NZS 60335.2.32: 2020

39. MICROWAVE OVEN

An electrical appliance that –

- (a) is a household type; and
- (b) applies heat to food, liquid or other substances in a chamber by means of high frequency electromagnetic radiation.

Class specification:

AS/NZS 60335.2.25: 2020 (until 27 June 2028); or AS/NZS 60335.2.25: 2025

40. MINIATURE OVERCURRENT CIRCUIT BREAKER

An electrical device that –

- (a) is an enclosed air-break switch;
- (b) opens a low voltage circuit automatically under pre-determined conditions of overcurrent;
- (c) has a nominal rating not exceeding 125 A; and has –
 - (i) a current breaking capacity up to but not including 10kA or (from 1 October 2027 including 10kA)
 - and/or
 - (ii) a projected panel mounting area not exceeding 4000 square millimetres per pole;

but does not include –

- (d) miniature overcurrent circuit-breakers as defined but which:
 - (i) are intended and marked as being only for use in industrial application; or
 - (ii) are intended only for use within and for protection of electrical equipment as distinct from circuit wiring and are appropriately marked.

Class specification:

AS/NZS 60898.1: 2024

AS/NZS 60898.2: 2004 (until 13 June 2026) or AS/NZS 60898.2: 2025

AS/NZS IEC 60947.2: 2015 (for DC circuit breakers outside the scope of AS/NZS 60898.2); or

41. NIGHTLIGHT - MAINS SOCKET-OUTLET MOUNTED

An electrical appliance that –

- (a) is a household type;
- (b) incorporates integral pins for insertion into a socket outlet; and
- (c) is intended to provide a source of low-level illuminance in areas not normally illuminated at night.

but does not include –

- (d) other appliances with indicator lamps.

Class specification:

AS/NZS 60598.2.12: 2015

42. OUTLET DEVICE

An electrical device that –

- (a) is a household type;
- (b) as its primary function, extends supply from a socket-outlet;
- (c) is portable;
- (d) incorporates facilities for the insertion of a plug or plugs; and
- (e) has a rating not exceeding 20 A;

but does not include –

- (f) a cord extension set.

Class specification:

Integral pin type (including travel adaptor) –
AS/NZS 3122: 2021

In this specification AS/NZS 3122 is modified to preclude types that can be wired or rewired by the user.

Other:-

AS/NZS 3100 and AS/NZS 3105: 2014 +A1

43. PLUG

An electrical device that –

- (a) makes a detachable connection between the contacts of a socket-outlet and the conductors of a flexible cord;
- (b) has two, three or four pins for insertion into a socket-outlet; and
- (c) has a rating not exceeding 20A;

but does not include -

- (d) a plug which is within the scope of AS/NZS 3123: 2005 +A1 and is intended for industrial use; or
- (e) a plug which is within the scope of AS/NZS 3131: 2015 or AS/NZS 61535: 2011.
- (f) a plug intended exclusively for Electric Vehicle charging.

Class specification:

AS/NZS 3100 and AS/NZS 3112: 2017 +A1

Note: It is intended to preclude plugs of a non-Australian type.

44. POWER SUPPLY OR CHARGER

An electrical device that –

- (a) provides an output not exceeding 50 volts a.c. or 120 volts ripple free d.c.; and is -
 - (i) a type to provide supply to separate luminaires; or
 - (ii) a household type intended for either charging batteries or to provide a supply to separate equipment.

but does not include:

- (b) Information Technology and Audio Video equipment that can use the output to also transmit data that is not associated with a power supply or charger function.
- (c) Devices used to transmit data over ethernet cables

Note: point (a) above “to provide supply to separate luminaires” is not limited to household types

Note: POWER SUPPLY OR CHARGER includes ‘modular’ devices incorporated within SOCKET OUTLETS

Class specifications:

Power supply for general use-

AS/NZS 61558.1 and AS/NZS 61558.2.6: 2022

AS/NZS 61558.2.16: 2022 +A1

Power supply (electronic or transformer types) designated for use with specific electronic equipment-

AS/NZS 61558.2.16: 2022 +A1 or

AS/NZS 62368.1: 2022

NOTE: Specific Electronic equipment includes: Information Technology, Audio Visual equipment and USB power supplies

Power supply for toys-

AS/NZS 61558.1 and 61558.2.7: 2008 +A1 (until 28 June 2027); or AS/NZS 61558.2.7: 2024; or

AS/NZS 61558.2.16: 2022 +A1.

Power supply for bells or chimes-

AS/NZS 61558.1 and AS/NZS 61558.2.8: 2011 +A1 (until 27 June 2028); or AS/NZS 61558.2.8: 2025; or

AS/NZS 61558.2.16: 2022 +A1.

Power supply for lighting purposes-

Electronic Type, LED module: AS/NZS 61347.1 and AS 61347.2.13: 2018

Electronic Type, Other: AS/NZS 61347.1 and AS/NZS 61347.2.2: 2020

Ferromagnetic Type: AS/NZS 61558.2.6: 2022

Power supply for Handlamps-

AS/NZS 61558.1 and AS/NZS 61558.2.9: 2011 +A1 (until 12 June 2028) or AS/NZS

61558.2.9:2025; or

AS/NZS 61558.2.16: 2022 +A1 (for switched mode types).

Power Supply for fence energiser-

AS/NZS 61558.1 and AS/NZS 61558.2.6: 2022 together with AS/NZS 60335.2.76: 2019; or

AS/NZS 61558.2.16: 2022 +A1 together with AS/NZS 60335.2.76: 2019 (for switched mode types)

Battery charger-

AS/NZS 60335.2.29: 2017 +A1

45. RANGE

An electrical appliance that –

- (a) is a household type;

- (b) is for cooking food using heat produced by electrical energy; and
- (c) is stationary.

Class specification:

Fixed outdoor barbecue-
AS/NZS 60335.2.78: 2019 (until 25 November 2025); or AS/NZS 60335.2.78: 2022

Other-
AS/NZS 60335.2.6: 2014 +A1-2 (until 27 June 2028); or AS/NZS 60335.2.6: 2025

46. RANGE HOOD

An electrical appliance that –

- (a) is a household type;
- (b) collects and/or filters air; and
- (c) is for installation above, or adjacent to, a cooking appliance.

Class specification:

AS/NZS 60335.2.31: 2020 (until 13 December 2027); or AS/NZS 60335.2.31: 2024

47. RAZOR/HAIR CLIPPER

An electrical appliance that –

- (a) is a household type; and
- (b) shaves, cuts or trims human hair.

Class specification:

AS/NZS 60335.2.8: 2013 +A1-2 (until 1 December 2026); or AS/NZS 60335.2.8: 2023

48. REFRIGERATOR/FREEZER (REFRIGERATING APPLIANCE)

An electrical appliance that –

- (a) is a household type; and
- (b) cools and stores food.

but does not include –

- (c) wine coolers

Class specification:

AS/NZS 60335.2.24: 2021 +A1

49. RESIDUAL CURRENT DEVICE

An electrical device that –

- (a) isolates or initiates a tripping signal to isolate a low-voltage supply to protected circuits, sockets-outlets or equipment in the event of a current flow to earth which exceeds a predetermined level;
- (b) may be fixed or portable;
- (c) has a rated residual current not exceeding 300 mA for devices intended for connection to fixed wiring or 30 mA for other devices; and
- (d) has a rated load current not exceeding 125 A for devices intended for connection to fixed wiring or 20 A for other devices;

but does not include -

- (e) a device intended to be used with a particular circuit-breaker other than a miniature overcurrent circuit-breaker; or
- (f) a device intended to protect an electricity supply authority distribution system; or
- (g) a device covered by AS 2081 and intended for mines use.
- (h) an In-Cable Control and Protection Device (IC-CPD) for Electric Vehicles

Class specification:

Without integral overcurrent protection -
AS/NZS 61008.1: 2015 +A1 or AS/NZS 3190: 2016 +A1-3

With integral overcurrent protection -
AS/NZS 61009.1: 2015 +A1; or
AS/NZS 3190: 2016 +A1-3 and AS/NZS 3111: 2009 +A1-2

Type 'B' and 'F' devices -
IEC 62423: 2009

Type SPE – PRCD's -
IEC 62335: 2008

For portable types –

- (a) AS/NZS 3190: 2016 +A1-3; or
- (b) AS/NZS 3190: 2016 +A1-3 together with AS/NZS 3012: 2019 +A1 (Type PSOA); or
- (c) IEC 61540: 2023 and the PRCD and PSOA requirements of AS/NZS 3190

The specification(s) for RESIDUAL CURRENT DEVICE is modified to prohibit 'Type AC' RCDs

50. ROOM HEATER

An electrical appliance that –

- (a) is a household type; and
- (b) is for heating, by electrical energy, the atmosphere for comfort purposes;

and includes –

- (c) an appliance that accommodates one or more heatlamps;

but does not include -

- (d) an air-conditioning appliance; or
- (e) a heating system that is intended to heat the atmosphere of a room primarily by raising the temperature of any floor, wall, or ceiling area; or
- (f) an under-carpet heating system.

Class specifications:

Thermal storage type-
AS/NZS 60335.2.61: 2005 +A1-2

Other-
AS/NZS 60335.2.30: 2023

51. SOCKET-OUTLET

An electrical device that –

- (a) is for fixing at a point at which fixed wiring terminates;
- (b) provides a detachable connection with the pins of a plug;
- (c) has two, three or four contacts; and
- (d) has a rating not exceeding 20A;

but does not include -

- (e) an outlet within the scope of AS/NZS 3123 or AS/NZS 3131 or AS/NZS 3194 or AS/NZS 61535.
- (f) a socket outlet intended exclusively for Electric Vehicle charging

Class specifications:

For socket outlets with international configurations –
IEC 60884-1

Other –
AS/NZS 3100 and AS/NZS 3112: 2017 +A1

SOCKET-OUTLETS shall not allow projected plug portions for any aperture set to be overlapped.

52. SOLDERING IRON

An electrical appliance that –

- (a) is for the application or removal of solder; and
 - (b) is hand-held;
- and includes –
- (c) any integral or associated power supply or controller;

but does not include –

- (d) a soldering iron promoted exclusively to industry.

Class specification:

AS/NZS 60335.2.45: 2012

53. SUBMERSIBLE PUMP

An electrical appliance that –

- (a) is a household type;
- (b) is for pumping or circulating liquids (including a mixture of water and small solids) having a temperature not exceeding 90 °C;
- (c) has a rated voltage being not more than 250 V for single-phase appliances and 480 V for other appliances;
- (d) has any electrical part, or enclosure around any electrical part, completely or partially immersed in the liquid being pumped during normal use; and
- (e) is portable or fixed in position

but does not include –

- (f) SWIMMING POOL OR SPA EQUIPMENT

Class specification:

AS/NZS 60335.2.41: 2013 +A1 (until 29 November 2027); or AS/NZS 60335.2.41: 2024

Note: SUBMERSIBLE PUMPS supplied from a voltage supply at or less than 50 VAC or 120 VDC are not captured by this definition

54. SUPPLY FLEXIBLE CORD

An electrical cord that –

- (a) is unshielded and flexible;
- (b) is designed for use at low voltage;
- (c) consists of two or three elastomer or PVC insulated cores of multistrand construction;
- (d) has a cross-sectional area of each conductor not exceeding 2.5 square millimetres; and
- (e) has for other than tinsel cords, individual wire strandings not exceeding -
 - (i) 0.21 mm for conductor sizes up to 1 square millimetre; or

- (ii) 0.26 mm for conductor sizes exceeding 1 square millimetre;

but does not include -

- (f) a flexible cord which is marked in accordance with the CENELEC HAR marking scheme for flexible cords that is either;
- directly connected to equipment; or
 - directly connected to approved non-rewirable accessories.
- (g) wiring contained entirely within the enclosure of equipment or an appliance.

Class specifications:

General flexible cord -
AS/NZS 3191: 2008

PVC -
AS/NZS IEC 60227.5: 2019

Rubber -
AS/NZS IEC 60245.4: 2020

Halogen-free thermoplastic insulation cord -
EN 50525-3-11: 2011 or IEC 62821-3: 2015

Halogen-free crosslinked insulation cord-
EN 50525-3-21: 2011

55. SWIMMING POOL OR SPA EQUIPMENT

An electrical appliance or device that –

- (a) is a transportable spa pool or transportable spa-bath, or
- (b) is for circulating air or water in a conventional bath; or
- (c) is for use in the operation or cleaning of a swimming pool, non-transportable spa pool or non-transportable spa-bath.

but does not include –

- (d) an appliance or device exclusively promoted for commercial use; or
- (e) a heat pump

Class specifications:

Pump-
AS/NZS 60335.2.41: 2013 +A1 (until 29 November 2027); or AS/NZS 60335.2.41: 2024

Spa pool, Spa bath or an appliance intended to circulate air or water in a conventional bath-
AS/NZS 60335.2.60: 2018 (until 29 November 2027); or AS/NZS 60335.2.60: 2024

UV radiation water treatment appliances-
AS/NZS 60335.2.109: 2011 +A1-2 (until 29 November 2027); or AS/NZS 60335.2.109: 2024

Other-
AS/NZS 3100 and AS/NZS 3136: 2001 +A1-2

56. THERAPEUTIC LAMP / BEAUTY CARE LAMP

An electrical appliance that –

- (a) is a household type;
- (b) produces optical radiation for personal, cosmetic or nail hardening purposes; and
- (c) is portable.

Class specification:

For appliances incorporating lasers and intense light sources –
AS/NZS 60335.2.113: 2017 +A1

Other -

AS/NZS 60335.2.27: 2020 (until 29 November 2027); or AS/NZS 60335.2.27: 2024

57. TOOL - PORTABLE TYPE

An electrical appliance that –

- (a) is for machining, drilling, sawing, or surface preparation; and
- (b) may be entirely supported by hand during operation;

but does not include –

- (c) a tool, portable type, promoted exclusively to industry.
- (d) a heat gun
- (e) lawn and garden machinery

Class specifications:

AS/NZS 60745.1 plus the in-effect AS/NZS 60745 Series Part 2

Where the published AS/NZS 60745 Series Part 2 has been superseded or does not exist:-

AS/NZS 62841.1 plus the appropriate AS/NZS 62841 Series Part 2

Other (where an AS/NZS 60745 Part 2 or AS/NZS 62841 Part 2 is not available) AS/NZS 3100 and AS/NZS 3160

58. VACUUM CLEANER

An electrical appliance that –

- (a) is a household type;
- (b) is portable; and
- (c) removes dust, dirt or moisture and the like from floor coverings by suction; or
- (d) removes garden refuse from lawns or paths and the like by suction.

Class specification:

Hand-held garden type-
AS/NZS 60335.2.100: 2003

Other;

AS/NZS 60335.2.2: 2020 +A1

59. WALL SWITCH

An electrical device that –

- (a) is a household type; and
- (b) is either an air-break switch or an electronic switch; and
- (c) is for connection to the wiring of an electrical installation; and
- (d) is primarily for mounting on a vertical surface; and
- (e) is intended to turn a load ON or OFF; and
- (f) has a rating not exceeding 20 A;

but does not include—

(g) automatic operation by means of motion sensors such as Passive Infrared sensors, Microwave sensors, Ultrasonic sensors or the like.

Class specification:

Air-break type –
AS/NZS 3100 and AS 3133: 2020 +A1

Electronic type (including relay contacts or solid-state contacts) –
AS/NZS 60669.1: 2020 +A1 and AS 60669.2.1: 2020

60. WASHING MACHINE

An electrical appliance that –

- (a) is a household type; and
- (b) is used for washing clothes.

Class specification:

AS/NZS 60335.2.7: 2020 (until 28 June 2026); or
AS/NZS 60335.2.7: 2020 +A1 (until 29 November 2027); or
AS/NZS 60335.2.7: 2024

61. WATER BED HEATER

An electrical appliance that –

- (a) is for installation under a water bed envelope; and
- (b) heats water contained in that envelope;

and includes –

- (c) any associated control device.

Class specification:

AS/NZS 60335.2.66: 2012

62. WATER HEATER

An electrical appliance that –

- (a) is for heating and storage of water for bathing, washing or similar purposes;
 - (b) incorporates a heating element (with or without a heat pump mechanism);
 - (c) is unvented; and
 - (d) has a storage capacity not less than 4.5 L nor more than 680 L.
- or
- (e) is for heating water;
 - (f) is of the instantaneous type; and
 - (g) incorporates live parts in contact with water.

Class specification:

Pressure storage –
AS/NZS 60335.2.21: 2013 +A1-2 (until 1 December 2026); or AS/NZS 60335.2.21: 2023

Instantaneous –
AS/NZS 60335.2.35: 2013 +A1-2

Additional specification if the appliance also contains a heat pump mechanism –
AS/NZS 60335.2.40: 2019 (until 30 June 2026); or AS/NZS 60335.2.40: 2023

GEOGRAPHICAL NAMES ACT 1966

PURSUANT to the provisions of Section 10 of the *Geographical Names Act 1966*, the Geographical Names Board has this day assigned the name listed hereunder as a geographical name.

Sanctuary Park for a reserve bordered by the Parramatta River in the north and Sanctuary Boulevard on the south residential developments to the east and Louise Savage Pathway to the west.

The position and extent for this feature is recorded and shown within the Geographical Names Register of New South Wales. This information can be accessed through the **Board's** website at [Geographical Names Board | NSW Government](#).

THOMAS GRINTER
Chair

Geographical Names Board
346 Panorama Ave
BATHURST NSW 2795

**COAL SERVICES HEALTH MONITORING REQUIREMENTS FOR
COAL MINE WORKERS ORDER No. 45**
under the
COAL INDUSTRY ACT 2001 (NSW)

Coal Services Pty Limited (A.C.N 099 078 234), an approved company under the *Coal Industry Act 2001* (NSW) (“the Act”), with the approval of the Hon. Courtney Houssos, MLC, Minister for Natural Resources, and in pursuance of section 13 of the Act, makes the following Order.

Dated this 22nd day of October 2025

Kylie Ah Wong
Chair
Coal Services Pty Limited

Angela Hunter
Managing Director/CEO
Coal Services Pty Limited

Approved by the Hon. Courtney Houssos, MLC, Minister for
Natural Resources, on this 14th day of October 2025

The Hon. Courtney Houssos, MLC
Minister for Natural Resources

**COAL SERVICES HEALTH MONITORING REQUIREMENTS FOR
COAL MINE WORKERS ORDER NO. 45**
under the
COAL INDUSTRY ACT 2001 (NSW)

1. Name of Order

This Order is the Coal Services Health Monitoring Requirements for Coal Mine Workers Order No. 45.

2. Commencement

This Order commences on 1 January 2026.

3. Revocation

The Coal Services Health Monitoring Requirements for Coal Mine Workers Order No. 43 published in the NSW Government Gazette No. 48 on 4 May 2018 at pages 2776-2781, including any associated schedules made or published on or after that date is revoked.

4. Interpretation

In this Order:

AHPRA means the Australian Health Practitioner Regulation Agency.

airborne contaminant means airborne contaminant as defined in the *Work Health and Safety Regulation 2025* (NSW) (as amended from time to time or replaced).

approved health professional means:

- a) an accredited exercise physiologist who is registered by Exercise and Sports Science Australia (ESSA) to practice as an exercise physiologist in Australia; or
- b) an occupational therapist who is registered by the AHPRA to practice as an occupational therapist in Australia; or
- c) a physiotherapist who is registered by the AHPRA to practice physiotherapy in Australia; or
- d) a registered nurse (Division 1) who is registered by the AHPRA to practice nursing in Australia; and who complies with the Clinical and Service Standard and is approved by Coal Services.

approved medical practitioner means a medical practitioner who is registered by the AHPRA to practice medicine in Australia, complies with the Clinical and Service Standard, and is approved by Coal Services.

audiometry means a pure tone audiogram examination conducted by an approved health professional or an approved medical practitioner who has completed an approved course in audiometry and complies with the Clinical and Service Standard.

Category A: Safety critical means a coal mine worker or prospective coal mine worker whose immediate action or inaction from an unavoidable and/or sudden medical incapacity may lead directly to a serious incident affecting others in the workplace.

Category B: Safety sensitive means a coal mine worker or prospective coal mine worker whose immediate action or inaction from an unavoidable and/or sudden medical incapacity may lead directly to a serious incident affecting themselves and is not likely to affect others in the workplace.

Category C: Non-safety sensitive means a coal mine worker or prospective coal mine worker whose immediate action or inaction from an unavoidable and/or sudden medical incapacity will not lead to a serious incident affecting others in the workplace and their work environment will not contribute adversely to the outcome.

Clinical and Service Standard means the Clinical and Service Standard developed and approved by Coal Services, as amended from time to time or replaced. The Clinical and Service Standard outlines the training and requirements for approved health professionals and approved medical practitioners to conduct health assessments, health assessment reviews, and retirement health assessments.

coal mine carries the same meaning as defined in the *Work Health and Safety (Mines and Petroleum Sites) Act 2013* (NSW) (as amended from time to time or replaced).

coal mine worker means a person who carries out work at a coal mine or a coal handling preparation plant for a person conducting a business or undertaking. It does not include a person who works in an environment in which they are not exposed to airborne contaminant, hazardous chemicals, and/or occupational noise unless the person has previously worked in an area of a coal mine or coal handling preparation plant in which they were exposed to airborne contaminant, hazardous chemicals, and/or occupational noise.

coal mine worker chest imaging means a radiological image and report of the chest which complies with the Clinical and Service Standard.

Coal Services means Coal Services Pty Limited (ACN 099 078 234).

Coal Services website means the website maintained by Coal Services at www.coalservices.com.au.

deferred health examination means where one or more health examination(s) was not undertaken in a health assessment due to the approved medical practitioner determining that a health examination(s) would be adverse to the health of the coal mine worker or prospective coal mine worker at that time, but is completed within twelve (12) months from the date of the health assessment.

hazardous chemical exposure means exposure to a hazardous chemical as defined in the *Work Health and Safety Regulation 2025* (NSW) (as amended from time to time or replaced).

health assessment means the health examinations of a coal mine worker or prospective coal mine worker that meets the following criteria: has been completed within the previous three (3) years; is assessed against the position and risk category; is completed by an approved medical practitioner; which includes all of the matters specified in Schedule 1 excluding any deferred health examination(s); is in the form approved by and provided to Coal Services; and is approved by Coal Services. The reference to three (3) years means by 31 December of that calendar year.

health assessment certificate means a certificate issued by an approved medical practitioner after the completion of a health assessment, health assessment review, or retirement health assessment, and must contain the information in response to items 1 to 13 in Schedule 2 and is provided to the person conducting a business or undertaking who requested the health assessment, health assessment review, or retirement health assessment; and is in the form approved by and provided to Coal Services; and is approved by Coal Services.

health assessment review means a review of a health condition(s) identified in a health assessment or a health assessment review of a coal mine worker as a one off or at defined intervals, or a health examination(s) including a deferred health examination(s) that meets the following criteria: is assessed against the position and risk category; is completed by an approved medical practitioner; is in the form approved by and provided to Coal Services; and is approved by Coal Services.

health certification means a health determination with limited medical information to support the person conducting a business or undertaking to create a safe system of work, and is documented on a health assessment certificate by an approved medical practitioner following the completion of health examinations as outlined in Schedule 1, and any health assessment reviews which assesses the ability of a coal mine worker or prospective coal mine worker to perform the position and risk category as outlined in clause 6 (b) (iii) and (iv).

health counselling means health information, education, and guidance provided to the coal mine worker or prospective coal mine worker by an approved health professional or approved medical practitioner in relation to a health issue(s) identified in the health assessment, health assessment review, or retirement health assessment and at the time of the health assessment, health assessment review, or retirement health assessment.

health examination means an examination or test listed in Schedule 1 that forms part of a health assessment.

industry health standard means any health standard approved by Coal Services and published on the Coal Services website (as amended from time to time or replaced).

occupational noise exposure means the level of noise that a coal mine worker may be exposed to at work.

person conducting a business or undertaking has the same meaning given to that term under section 5 of the *Work Health and Safety Act 2011* (NSW) (as amended from time to time or replaced).

prospective coal mine worker means a person who is seeking to commence work for the first time at a New South Wales coal mine or coal handling preparation plant for a person conducting a business or undertaking. It does not include a person who will work in an environment in which they are not exposed to airborne contaminant, hazardous chemicals, and/or occupational noise.

remedial measures means any actions recommended by the approved medical practitioner to be undertaken by the person conducting a business or undertaking with respect to a medical condition identified in the health assessment or health assessment review(s) as detailed on the health assessment certificate.

respirator fit testing means a quantitative assessment of the fitting of personal respiratory protective equipment to ensure that it fits closely to a person's face to minimise the risk of exposure to airborne contaminants. It is undertaken by a person who has completed an approved respirator fit test course and complies with the Clinical and Service Standard.

retirement health assessment means the health examinations of a coal mine worker who intends to or has retired or ceased work in the New South Wales coal industry that meets the following criteria: completed by an approved medical practitioner; which includes all the matters specified in Schedule 1, excluding any deferred health examination(s); in the form approved by and provided to Coal Services; and is approved by Coal Services.

risk category means the category of risk determined by the person conducting a business or undertaking of a coal mine worker's or prospective coal mine worker's position as one of the following: Category A: Safety critical, Category B: Safety sensitive, or Category C: Non-safety sensitive.

serious incident means an incident resulting in the death or permanently incapacitating illness and/or injury of a person.

similar exposure group is a group of coal mine workers who have the similar general exposure to hazards, and can include similarity and frequency of tasks performed, types of materials and processes used, and similarities in the way a task(s) is performed, as listed on the Coal Services website (as amended from time to time or replaced).

spirometry means:

- a) testing of lung function carried out by an approved health professional or approved medical practitioner who has completed an approved course in spirometry and complies with the Clinical and Service Standard; and
- b) the results are interpreted by an approved medical practitioner who has completed an approved course in spirometry interpretation and complies with the Clinical and Service Standard.

5. Application of this Order

This Order applies to an approved health professional, an approved medical practitioner, a coal mine worker,

Coal Services, a person conducting a business or undertaking who employs or intends to employ a coal mine worker, and a prospective coal mine worker.

6. Requirement for a health assessment

- a) A person conducting a business or undertaking must ensure a coal mine worker or a prospective coal mine worker has, or has had, a health assessment:
 - (i) for the position of the coal mine worker or proposed position of the prospective coal mine worker;
 - (ii) for a risk category that is the same or higher than the risk category for the work to be performed by that coal mine worker or prospective coal mine worker; and
 - (iii) prior to commencing work at a coal mine or coal handling preparation plant.
- b) A person conducting a business or undertaking who causes a coal mine worker or a prospective coal mine worker to attend a health assessment or a health assessment review must provide the following information to the approved medical practitioner:
 - (i) the full name and address of the person conducting the business or undertaking;
 - (ii) the full name and date of birth of the coal mine worker or prospective coal mine worker;
 - (iii) the position of the coal mine worker or prospective coal mine worker;
 - (iv) the risk category of the coal mine worker or prospective coal mine worker;
 - (v) the similar exposure group of the coal mine worker or prospective coal mine worker;
 - (vi) whether respirator fit testing is requested by a person conducting a business or undertaking; and
 - (vii) whether any health monitoring requirements in Schedule 14, *Work Health and Safety Regulation 2025* (NSW) (as amended from time to time or replaced) are requested by a person conducting a business or undertaking.
- c) A person conducting a business or undertaking must allow a coal mine worker time during their normal rostered hours to attend:
 - (i) a health assessment, at least once every three (3) years; and
 - (ii) a health assessment review whenever it is related to airborne contaminant, hazardous chemicals, and/or occupational noise exposure, where reasonably practicable (except where this conflicts with an approved enterprise agreement, in which case the terms of the approved enterprise agreement will prevail).
- d) Except where the person conducting a business or undertaking complies with clause 6(c), a person conducting a business or undertaking must provide payment to a coal mine worker to undertake:
 - (i) a health assessment, at least once every three (3) years; and
 - (ii) a health assessment review whenever it is related to airborne contaminant, hazardous chemicals, and/or occupational noise exposure.
- e) A person conducting a business or undertaking must provide a coal mine worker with a copy of the health assessment certificate within four (4) weeks of receiving the health assessment certificate.

7. Requirement for a retirement health assessment

- a) A coal mine worker who intends to or has retired or ceased work in the New South Wales coal industry is entitled to a retirement health assessment(s).
- b) A coal mine worker may arrange their retirement health assessment(s).
- c) A person conducting a business or undertaking who arranges a retirement health assessment, must provide the following information to the approved medical practitioner:
 - (i) the full name and address of the person conducting the business or undertaking;
 - (ii) the full name and date of birth of the coal mine worker;
 - (iii) the position(s) of the coal mine worker;
 - (iv) similar exposure group;
 - (v) the work that the coal mine worker has carried out, and the duration of that work; and
 - (vi) whether any health monitoring requirements in Schedule 14, *Work Health and Safety Regulation 2025* (NSW) (as amended from time to time or replaced) are requested by a person conducting a business or undertaking.
- d) A copy of the health assessment certificate will be provided to the coal mine worker within four (4) weeks of the retirement health assessment by Coal Services.

8. Health assessment information

An approved health professional, approved medical practitioner, and Coal Services collects personal and health information about coal mine workers and prospective coal mine workers arising from a health assessment, health assessment review, or retirement health assessment. A person conducting a business or undertaking collects personal and health information about coal mine workers and prospective coal mine workers upon receiving a copy of the health assessment certificate pursuant to clause 6(e) above.

9. Requirement to provide coal mine workers list

By 30 September each calendar year, the person conducting a business or undertaking who has employed a coal mine worker in the previous twelve (12) months, must provide to Coal Services, in the form provided by Coal Services, a list containing the full name, date of birth, position, risk category, similar exposure group, commencement date, and termination date where applicable.

10. No duty or obligation to employ or engage a prospective coal mine worker

Nothing in this Order shall require a person conducting a business or undertaking to employ or otherwise engage a prospective coal mine worker for any reason.

11. Transitional arrangements

- a) If a coal mine worker has a current periodic medical assessment completed pursuant to the Coal Services Health Monitoring Requirements for Coal Mine Workers Order No. 43 under the *Coal Industry Act 2001* (NSW), that periodic medical assessment is a health assessment under this Order subject to the periodic medical assessment being completed within the previous three (3) years.
- b) If a coal mine worker has entered the New South Wales coal industry within three (3) years previous to the commencement of this Order and has not completed a periodic medical assessment, then the first pre-placement medical assessment completed pursuant to the Coal Services Health Monitoring Requirements for Coal Mine Workers Order No. 43 under the *Coal Industry Act 2001* (NSW) is to be considered a health assessment for that coal mine worker under this Order.

SCHEDULE 1

Required information and health examinations

1. Full name and date of birth of the coal mine worker or prospective coal mine worker.
2. The position, risk category, and similar exposure group of the coal mine worker or the proposed position, risk category, and similar exposure group of the prospective coal mine worker.
3. Name and registration number of the approved health professional(s) undertaking the health examinations and the approved medical practitioner completing the health assessment, health assessment review(s) or retirement health assessment.
4. Name and address of the person conducting the business or undertaking who requested the health assessment, health assessment review(s), or retirement health assessment.
5. Date(s) the health assessment, health assessment review(s) or retirement health assessment were carried out.
6. Detailed work history of the coal mine worker or prospective coal mine worker.
7. Detailed medical history, including any past or present disease, illness or injury (including work and non-work related), use of medication, alcohol intake, smoking/vaping and tobacco history, and physical activity.
8. Spirometry, a review of the respiratory system including chest examination, auscultation and the completion of a standardised respiratory questionnaire based on the MRC (UK) Respiratory Questionnaire 1986 (as amended from time to time or replaced).
9. Hearing assessment, including audiometry.
10. Vision assessment, including visual acuity, visual fields, and colour vision.
11. Full musculoskeletal assessment including any previous injury or underlying condition(s).
12. Cardiovascular assessment including assessment of heart sounds.
13. Blood pressure assessment.
14. Pulse rate.
15. Urinalysis.
16. Height, weight, neck circumference, and Body Mass Index (BMI).
17. Waist measurement.
18. Abdominal examination.
19. Random cholesterol (non-fasting) – total and HDL-C.
20. Random blood glucose test (non-fasting).
21. Neurological examination including any sensory or balance disorders, including the Romberg test for balance.
22. The Kessler Psychological Distress Scale (K10).
23. The STOP BANG questionnaire.¹
24. Alcohol Audit: The Alcohol Use Disorders Identification Test (AUDIT).
25. Cardiovascular Risk Assessment based on the guidelines produced by the Australian ‘National Vascular Disease Prevention Alliance’ and the American Heart Association (as amended from time to time or replaced).
26. Coal Services hazard exposure questionnaire.
27. Coal mine worker chest imaging and report, including a comparison with any previous coal mine worker chest imaging reports.
28. Respirator fit testing when requested by the person conducting a business or undertaking.
29. Any health monitoring requirements in Schedule 14, *Work Health and Safety Regulation 2025* (NSW) (as amended from time to time or replaced) when requested by the person conducting a business or undertaking.
30. Health certification that includes:
 - a) the health determination of the coal mine worker or prospective coal mine worker to perform the position and risk category, including any recommendations or work restrictions in accordance with any industry health standard;
 - b) any advice that examination results indicate that the coal mine worker may have contracted a disease, injury or illness as a result of carrying out the work or for a prospective coal mine worker who may have contracted a disease, illness, or injury as a result of carrying out any other work;
 - c) any recommendation(s) that the person conducting a business or undertaking take remedial measures;
 - d) whether health counselling was provided in relation to any health issue(s) identified in the health assessment, health assessment review(s), or retirement health assessment; and
 - e) the interval and nature of any health assessment review(s) including whether the health assessment review(s) is related to airborne contaminant, hazardous chemicals, and/or occupational noise exposure.

¹ A Tool to Screen Patients for Obstructive Sleep Apnea: Frances Chung, F.R.C.P.C.,* Balaji Yegneswaran, M.B.B.S.,† Pu Liao, M.D.,‡ Sharon A. Chung, Ph.D.,§ Santhira Vairavanathan, M.B.B.S.,_ Sazzadul Islam, M.Sc.,_ Ali Khajehdehi, M.D.,† Colin M. Shapiro, F.R.C.P.C.#Anesthesiology 2008; 108:812–21 Copyright © 2008, the American Society of Anesthesiologists, Inc. Lippincott Williams & Wilkins, Inc.

SCHEDULE 2

Health assessment certificate and reports

Health assessment certificate

1. Full name.
2. Date of birth.
3. Position.
4. Risk category.
5. Similar exposure group.
6. Health determination.
7. Corrective lenses or hearing aid requirements.
8. Remedial measures.
9. Any advice that examination results indicate that the coal mine worker may have contracted a disease, illness, or injury as a result of carrying out the work or for a prospective coal mine worker who may have contracted a disease, illness, or injury as a result of carrying out any other work.
10. Any health counselling provided in relation to any health issue(s) identified in the health assessment, health assessment review(s) or retirement health assessment.
11. Any health assessment(s) review(s), and whether it is related to airborne contaminant, hazardous chemical and/or occupational noise exposure and the review(s) interval(s).
12. Any deferred health examination(s).
13. Any recommended actions by the person conducting a business or undertaking in relation to the health assessment or health assessment review(s).

Reports

14. Audiometry report.
15. Coal mine worker chest imaging report.
16. Where applicable respirator fit testing report.
17. Where applicable any health monitoring results from Schedule 14, *Work Health and Safety Regulation 2025* (NSW) (as amended from time to time or replaced).

Notes:

1. The Act provides that a person (an individual or a corporation) must not, without reasonable excuse, refuse or fail to comply with this Order – Maximum penalty: 200 penalty units in the case of a corporation or 50 penalty units in the case of an individual.
2. The data obtained from assessments under this Order will be entered by Coal Services into its Health Assessment Database for the purpose of monitoring the health of the New South Wales coal industry. This will enable Coal Services to report on health trends, provide advice to relevant Government agencies, the Minister and to coal mines. In doing so, the provisions of the *Privacy and Personal Information Protection Act 1998* and the *Health Records and Information Privacy Act 2002* will be adhered to.
3. The legislation referred to in this Order is available from www.legislation.nsw.gov.au. For further information contact Coal Services on (02) 8270 3200.

NSW SPORTING INJURIES

30th July 2025

SPORTING INJURIES INSURANCE ACT, 1978

Order of Declaration under Section 5

In pursuance of Section 5 of the Sporting Injuries Insurance Act, 1978, I declare by this order

Southern Bass Fishing Group

to be a sporting organisation, for the purposes of the provisions of the Act, in respect of the activity of Fishing

Kristy Canning
General Manager
Service Operations WC

Date: 30 July 2025